

WASTE STREAM	1A04	LLW Non-Compactable Drummable (Spoil)
--------------	------	---------------------------------------

SITE Amersham

SITE OWNER GE Healthcare

WASTE CUSTODIAN GE Healthcare Limited

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 0		
Future arisings:	1.4.2025 - 31.3.2030	~~ 600.0		
Total future arisings:		600.0		
Total waste volume:		600.0		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Future volumes reduced due to completion of cyclotron vault decommissioning and front of site land remediation. Forecast of ~600m3 for remaining building demolition and land remediation.

Additional information on quantities: Volumes based on 2025 annual project review of concrete and spoil that will become LLW/LALLW.

Uncertainty factors on volumes: Stock (upper): x - Arisings (upper): x 1.50
Stock (lower): x - Arisings (lower): x 0.50

WASTE SOURCE Site strategy for decommissioning and demolition.

Cyclotron vaults decommissioned and disposed of - concrete blocks.

PHYSICAL CHARACTERISTICS

General description: The waste consists of rubble, soil, plant and building foundations and drainage pipework contained in 200 l drums or 1 m3 bags.

Activated concrete blocks from Cyclotron decommissioning disposed of.

Changes since waste generated: none

Bulk density (t/m³): = 2.0

Comment on density: The density of the waste is 2 t/m³.

CHEMICAL COMPOSITION

General description and components (%wt): Concrete, building rubble (including steel rebar where it cant be segregated) (90%), soil (7%), mild steel (1%), wood (<2%), polyethylene (<0.5%), perspex (<0.1%).

Chemical state: Neutral

Sheet metal proportion / thickness: Metal is in the form of mild steel drums. Typical thickness - 1 mm.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	= 0	-	
Other ferrous metals.....	= 1.0	Mild steel	
Iron.....	= 0	-	
Aluminium.....	= 0	-	
Beryllium.....	= 0	-	
Cobalt.....	= 0	-	
Copper.....	= 0	-	
Lead.....	= 0	-	
Magnox/Magnesium.....	= 0	-	
Nickel.....	= 0	-	
Titanium.....	= 0	-	
Uranium.....	= 0	-	
Zinc.....	= 0	-	
Zircaloy/Zirconium.....	= 0	-	
Other metals.....	= 0	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	< 1.3	-	
Paper, cotton.....	= 0	-	
Wood.....	< 1.3	-	
Halogenated plastics.....	= 0	-	
Total non-halogenated plastics.....	< 0.60	-	
Condensation polymers.....	= 0	-	
Others.....	< 0.60	-	
Organic ion exchange materials.....	= 0	-	
Total rubber.....	< 0.10	-	
Halogenated rubber.....	= 0	-	
Non-halogenated rubber.....	< 0.10	-	
Hydrocarbons.....		-	
Oil or grease.....		-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....	= 0	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	
Inorganic sludges and flocs.....	= 0	-	
Soil.....	~ 7.0	soil and redundant drains	
Brick/Stone/Rubble.....	~ 45.0	building rubble	
Cementitious material.....	= 45.0	Concrete	
Sand.....	= 0	-	
Glass/Ceramics.....	= 0	-	
Graphite.....	= 0	-	
Desiccants/Catalysts.....	= 0	-	
Asbestos.....	TR 0	-	
Non/low friable.....		-	
Moderately friable.....		-	
Highly friable.....		-	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	= 0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	= 0	-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....	= 0	-
Soluble solids as bulk chemical compounds.....	= 0	-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	= 0	-
Benzene.....	= 0	-
Chlorinated solvents.....	= 0	-
Formaldehyde.....	= 0	-
Organometallics.....	= 0	-
Phenol.....	= 0	-
Styrene.....	= 0	-
Tri-butyl phosphate.....	= 0	-
Other organophosphates.....	= 0	-
Vinyl chloride.....	= 0	-
Arsenic.....	= 0	-
Barium.....	= 0	-
Boron.....	= 0	-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....	= 0	-
Caesium.....	= 0	-
Selenium.....	= 0	-
Chromium.....	= 0	-
Molybdenum.....	= 0	-
Thallium.....	= 0	-
Tin.....	= 0	-
Vanadium.....	= 0	-
Mercury compounds.....	= 0	-
Others.....	= 0	-

Complexing agents (%wt):

No		
	(%wt)	Type(s) and comment
EDTA.....		-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		The waste contains no complexing agents.
Total complexing agents.....	= 0	-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None		= 100.0

Comments on planned treatments:

None

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	-	-	-	-	-	-

Range in container waste loading:

Other information on packaging and conditioning: -

Conditioned density (t/m³): -

Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0	= 2.0	
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: The main activity from site decontamination work consists of Ra-226 and Cs-137. Decommissioning of the cyclotron activated vault walls is complete and waste disposed.

Uncertainty: Estimates based on review of decommissioning programmes and forecast.

Measurement of radioactivities: The radioactivity in this waste will be/has been assessed by sampling followed by direct measurement

Chemical form of radionuclides:

- H-3: Organic
- C-14: Organic
- Cl-36: -
- Se-79: -
- Tc-99: -
- I-129: -
- Ra: Radium sulphate, radium bromide, radium carbonate
- Th: -
- U: -
- Np: -
- Pu: -

WASTE STREAM		1A04		LLW Non-Compactable Drummable (Spoil)					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14			~ 2.50E-09	A A 2	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36			~ 2.20E-09	A A 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210			~ 1.42E-05	A A 2
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210			~ 1.42E-05	A A 2
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226			~ 1.60E-05	A A 2
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			~ 4.38E-07	A A 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125					Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241			~ 5.00E-09	A A 2
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137			~ 5.00E-05	A A 2	Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Unsp a				
Eu 152					Unsp b/g				
Eu 154					Total a	0	*	3.02E-05	*
Eu 155					Total b/g	0	*	6.46E-05	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides