

WASTE STREAM	2X130/1	North Group Compound Crate Storage Area LLW
--------------	---------	---

SITE Sellafield

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Ltd

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 0		
Future arisings:	1.4.2025 - 31.3.2026	= 10.2		
	1.4.2026 - 31.3.2027	= 9.9		
	1.4.2027 - 31.3.2028	= 9.9		
	1.4.2028 - 31.3.2029	= 9.9		
	1.4.2029 - 31.3.2030	= 9.9		
Total future arisings:		49.8		
Total waste volume:		49.8		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Arisings are based on 5 years of forecasts, with the final year extrapolated to the end of the lifetime of the waste stream.

Additional information on quantities: Uncertainty information is notional.

Uncertainty factors on volumes:

Stock (upper):	x -	Arisings (upper):	x 1.50
Stock (lower):	x -	Arisings (lower):	x 0.50

WASTE SOURCE The waste arises as a result of historical waste, clean-up operations and general maintenance within the compound.

PHYSICAL CHARACTERISTICS

General description: The waste is a mixture of hard wastes associated with redundant items and the building fabric plus secondary waste.

Changes since waste generated: The waste has not undergone any changes since it was generated.

Bulk density (t/m³): = 0.87

Comment on density: The total bulk density has been calculated based on the 5 year forecast and relevant waste characterisation document.

CHEMICAL COMPOSITION

General description and components (%wt): Metals (65.5%), Concrete/Rubble (4%), Soil (4%), Wood (1%), Rubber (1%), Halogenated Plastics (2.1%), Non-Halogenated Plastics (2.1%), Hydrocarbons (4.6%), Other Organics (14.5%), Asbestos (0.6%) and Other (0.6%).

Chemical state: Neutral

Sheet metal proportion / thickness: Metal thickness not specified.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	= 8.4	-	
Other ferrous metals.....	= 44.0	-	
Iron.....	= 0.42	-	
Aluminium.....	= 4.2	-	
Beryllium.....	-	-	
Cobalt.....	-	-	
Copper.....	= 2.1	-	
Lead.....	= 4.2	-	
Magnox/Magnesium.....	-	-	
Nickel.....	-	-	
Titanium.....	-	-	
Uranium.....	-	-	
Zinc.....	= 0.42	-	
Zircaloy/Zirconium.....	-	-	
Other metals.....	= 1.8	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	= 1.0	-	
Paper, cotton.....		-	
Wood.....	= 1.0	-	
Halogenated plastics.....	= 2.1	-	
Total non-halogenated plastics.....	= 2.1	-	
Condensation polymers.....		-	
Others.....		-	
Organic ion exchange materials.....		-	
Total rubber.....	= 1.0	-	
Halogenated rubber.....		-	
Non-halogenated rubber.....		-	
Hydrocarbons.....	= 4.6	-	
Oil or grease.....	= 0.42	-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....	= 2.1	-	
Asphalt/Tarmac (no coal tar).....	= 2.1	-	
Bitumen.....		-	
Others.....		-	
Other organics.....	= 14.5	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....		-	
Inorganic sludges and flocs.....		-	
Soil.....	= 4.0	-	
Brick/Stone/Rubble.....	= 4.0	-	
Cementitious material.....		-	
Sand.....		-	
Glass/Ceramics.....	= 0.63	-	
Graphite.....		-	
Desiccants/Catalysts.....		-	
Asbestos.....	= 0.63	-	
Non/low friable.....	= 0.21	-	
Moderately friable.....	= 0.21	-	
Highly friable.....	= 0.21	-	
Free aqueous liquids.....		-	
Free non-aqueous liquids.....		-	
Powder/Ash.....		-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....		-
Chloride.....		-
Iodide.....		-
Cyanide.....		-
Carbonate.....		-
Nitrate.....		-
Nitrite.....		-
Phosphate.....		-
Sulphate.....		-
Sulphide.....		-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....		-
Low flash point liquids.....		-
Explosive materials.....		-
Phosphorus.....		-
Hydrides.....		-
Biological etc. materials.....		-
Biodegradable materials.....	= 14.0	-
Putrescible wastes.....	= 2.0	-
Non-putrescible wastes.....	= 12.0	-
Corrosive materials.....		-
Pyrophoric materials.....		-
Generating toxic gases.....		-
Reacting with water.....	= 4.6	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	-	-
Benzene.....	-	-
Chlorinated solvents.....	-	-
Formaldehyde.....	-	-
Organometallics.....	-	-
Phenol.....	-	-
Styrene.....	-	-
Tri-butyl phosphate.....	-	-
Other organophosphates.....	-	-
Vinyl chloride.....	-	-
Arsenic.....	-	-
Barium.....	-	-
Boron.....	-	-
Boron (in Boral).....	-	-
Boron (non-Boral).....	-	-
Cadmium.....	-	-
Caesium.....	-	-
Selenium.....	-	-
Chromium.....	-	-
Molybdenum.....	-	-
Thallium.....	-	-
Tin.....	-	-
Vanadium.....	-	-
Mercury compounds.....	-	-
Others.....	-	-

Complexing agents (%wt):

Yes		
	(%wt)	Type(s) and comment
EDTA.....	< 0.01	-
DPTA.....	-	-
NTA.....	-	-
Polycarboxylic acids.....	-	-
Other organic complexants.....	-	-
Total complexing agents.....	< 0.01	-

Physical components:

	Number	Type(s) and comment
Sources.....	= 0	-
Electronic & Electrical Equipment (EEE)	-	-
EEE Type 1.....	30 items	-
EEE Type 2.....	15 items	-
EEE Type 3.....	50 items	-
EEE Type 4.....	15 items	-
EEE Type 5.....	15 items	-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction	On-site	= 40.2
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation	Off-site	= 34.4
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		= 25.4
Treatment not yet determined		
None		

Comments on planned treatments:

For Inventory purposes, it is assumed that supercompaction will continue after the closure of WAMAC in 2028. Metal treatment will take place off-site. Waste not requiring treatment is mostly 'out of scope' metal, VLLW and non compactable LLW for direct disposal to LLWR

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	1/2 Height IP-2 Disposal/Re-usable ISO (TC01/TC02)	10.0	10.0	18.3	1	-
	1/2 Height WAMAC IP-2 ISO (TC08)	40.2	59.3	18.8	1	-

Range in container waste loading:

Other information on packaging and conditioning: -

Conditioned density (t/m³): -

Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)			
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository	= 50.2	= 0.35	2025
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site	= 0.4	= 1.5	2025
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility	= 34.4	= 1.4	2025
Expected to be Out of Scope	= 14.9	= 1.4	2025
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: The original source of the activity is PCM that has arisen during early reprocessing operations.

Uncertainty: The uncertainty associated with the fingerprinting analysis is likely to be low, however the volumes and total activity information (and possibly some other assumptions) are likely to be more notional and thus more uncertain.

Measurement of radioactivities: Specific activity data is based on data in the corresponding WCH, which in turn maps an estimated total activity to be an analytically derived radionuclide fingerprint.

Chemical form of radionuclides:

- H-3: -
- C-14: -
- Cl-36: -
- Se-79: -
- Tc-99: -
- I-129: -
- Ra: -
- Th: -
- U: -
- Np: -
- Pu: -

WASTE STREAM		2X130/1		North Group Compound Crate Storage Area LLW										
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³								
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code					
H 3			=	1.43E-08	C C 2	Gd 153								
Be 10										Ho 163				
C 14										Ho 166m				
Na 22										Tm 170				
Al 26										Tm 171				
Cl 36										Lu 174				
Ar 39										Lu 176				
Ar 42										Hf 178n				
K 40										Hf 182				
Ca 41										Pt 193				
Mn 53										Tl 204				
Mn 54										Pb 205				
Fe 55					=	1.84E-10				C C 2	Pb 210			
Co 60										Bi 208				
Ni 59										Bi 210m				
Ni 63					=	1.14E-09				C C 2	Po 210			
Zn 65										Ra 223				
Se 79										Ra 225				
Kr 81										Ra 226				
Kr 85										Ra 228				
Rb 87					Ac 227									
Sr 90					Th 227									
Zr 93					Th 228			=	2.31E-10	C C 2				
Nb 91					Th 229									
Nb 92					Th 230									
Nb 93m					Th 232									
Nb 94					Th 234									
Mo 93					Pa 231									
Tc 97					Pa 233									
Tc 99					U 232									
Ru 106					U 233									
Pd 107					U 234									
Ag 108m					U 235									
Ag 110m					U 236									
Cd 109					U 238									
Cd 113m					Np 237									
Sn 119m					Pu 236									
Sn 121m					Pu 238			=	1.98E-07	C C 2				
Sn 123					Pu 239			=	7.68E-07	C C 2				
Sn 126					Pu 240			=	7.67E-07	C C 2				
Sb 125					Pu 241			=	2.59E-06	C C 2				
Sb 126					Pu 242									
Te 125m					Am 241			=	1.38E-06	C C 2				
Te 127m					Am 242m									
I 129					Am 243									
Cs 134					Cm 242									
Cs 135					Cm 243									
Cs 137					Cm 244									
Ba 133					Cm 245									
La 137					Cm 246									
La 138					Cm 248									
Ce 144					Cf 249									
Pm 145					Cf 250									
Pm 147					Cf 251									
Sm 147					Cf 252									
Sm 151					Unsp a									
Eu 152					Unsp b/g									
Eu 154					Total a	0	*	3.12E-06		*				
Eu 155					Total b/g	0	*	2.61E-06		*				

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides