

WASTE STREAM	2X54	Disposal of LLW from the Thorp PP/PF and SPRS
--------------	------	---

SITE Sellafield

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Ltd

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025			
Future arisings:				
	1.4.2025 - 31.3.2026	= 21.0		
	1.4.2026 - 31.3.2027	= 21.0		
	1.4.2027 - 31.3.2028	= 21.0		
	1.4.2028 - 31.3.2029	= 21.0		
	1.4.2029 - 31.3.2030	= 21.0		
	1.4.2030 - 31.3.2031	= 21.0		
	1.4.2031 - 31.3.2032	= 21.0		
	1.4.2032 - 31.3.2033	= 21.0		
	1.4.2033 - 31.3.2034	= 21.0		
	1.4.2034 - 31.3.2035	= 21.0		
	1.4.2035 - 31.3.2036	= 21.0		
	1.4.2036 - 31.3.2037	= 21.0		
	1.4.2037 - 31.3.2038	= 21.0		
	1.4.2038 - 31.3.2039	= 21.0		
	1.4.2039 - 31.3.2040	= 21.0		
	1.4.2040 - 31.3.2041	= 21.0		
	1.4.2041 - 31.3.2042	= 21.0		
	1.4.2042 - 31.3.2043	= 21.0		
	1.4.2043 - 31.3.2044	= 21.0		
	1.4.2044 - 31.3.2045	= 21.0		
	1.4.2045 - 31.3.2046	= 21.0		
	1.4.2046 - 31.3.2047	= 21.0		
	1.4.2047 - 31.3.2048	= 21.0		
	1.4.2048 - 31.3.2049	= 21.0		
	1.4.2049 - 31.3.2050	= 21.0		
	1.4.2050 - 31.3.2051	= 21.0		
	1.4.2051 - 31.3.2052	= 21.0		
	1.4.2052 - 31.3.2053	= 21.0		
	1.4.2053 - 31.3.2054	= 21.0		
	1.4.2054 - 31.3.2055	= 21.0		
	1.4.2055 - 31.3.2056	= 21.0		
	1.4.2056 - 31.3.2057	= 21.0		
	1.4.2057 - 31.3.2058	= 21.0		
	1.4.2058 - 31.3.2059	= 21.0		
	1.4.2059 - 31.3.2060	= 21.0		
	1.4.2060 - 31.3.2061	= 21.0		
	1.4.2061 - 31.3.2062	= 21.0		
	1.4.2062 - 31.3.2063	= 21.0		
	1.4.2063 - 31.3.2064	= 21.0		
	1.4.2064 - 31.3.2065	= 21.0		
	1.4.2065 - 31.3.2066	= 21.0		
	1.4.2066 - 31.3.2067	= 21.0		
	1.4.2067 - 31.3.2068	= 21.0		
	1.4.2068 - 31.3.2069	= 21.0		
	1.4.2069 - 31.3.2070	= 21.0		
	1.4.2070 - 31.3.2071	= 21.0		
	1.4.2071 - 31.3.2072	= 21.0		
	1.4.2072 - 31.3.2073	= 21.0		
	1.4.2073 - 31.3.2074	= 21.0		
	1.4.2074 - 31.3.2075	= 21.0		
	1.4.2075 - 31.3.2076	= 21.0		
	1.4.2076 - 31.3.2077	= 21.0		
	1.4.2077 - 31.3.2078	= 21.0		
	1.4.2078 - 31.3.2079	= 21.0		
	1.4.2079 - 31.3.2080	= 21.0		
	1.4.2080 - 31.3.2081	= 21.0		
	1.4.2081 - 31.3.2082	= 21.0		
	1.4.2082 - 31.3.2083	= 21.0		
	1.4.2083 - 31.3.2084	= 21.0		
	1.4.2084 - 31.3.2085	= 21.0		
	1.4.2085 - 31.3.2086	= 21.0		
	1.4.2086 - 31.3.2087	= 21.0		
	1.4.2087 - 31.3.2088	= 21.0		
	1.4.2088 - 31.3.2089	= 21.0		
	1.4.2089 - 31.3.2090	= 21.0		
	1.4.2090 - 31.3.2091	= 21.0		
	1.4.2091 - 31.3.2092	= 21.0		

1.4.2092 - 31.3.2093	= 21.0		
1.4.2093 - 31.3.2094	= 21.0		
1.4.2094 - 31.3.2095	= 21.0		
1.4.2095 - 31.3.2096	= 21.0		
1.4.2096 - 31.3.2097	= 21.0		
1.4.2097 - 31.3.2098	= 21.0		
1.4.2098 - 31.3.2099	= 21.0		
1.4.2099 - 31.3.2100	= 21.0		
1.4.2100 - 31.3.2101	= 21.0		
1.4.2101 - 31.3.2102	= 21.0		
1.4.2102 - 31.3.2103	= 21.0		
1.4.2103 - 31.3.2104	= 21.0		
1.4.2104 - 31.3.2105	= 21.0		
1.4.2105 - 31.3.2106	= 21.0		
1.4.2106 - 31.3.2107	= 21.0		
1.4.2107 - 31.3.2108	= 21.0		
1.4.2108 - 31.3.2109	= 21.0		
1.4.2109 - 31.3.2110	= 21.0		
1.4.2110 - 31.3.2111	= 21.0		
1.4.2111 - 31.3.2112	= 21.0		
1.4.2112 - 31.3.2113	= 21.0		
1.4.2113 - 31.3.2114	= 21.0		
1.4.2114 - 31.3.2115	= 21.0		
1.4.2115 - 31.3.2116	= 21.0		
1.4.2116 - 31.3.2117	= 21.0		
1.4.2117 - 31.3.2118	= 21.0		
1.4.2118 - 31.3.2119	= 21.0		
1.4.2119 - 31.3.2121	= 41.9		

Total future arisings: **2012.8**

Total waste volume: **2012.8**

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Arisings are based on 5 years of forecasts, with the final year extrapolated to the end of the lifetime of the waste stream.

Additional information on quantities: Uncertainty information is notional.

Uncertainty factors on volumes: Stock (upper): x - Arisings (upper): x 1.50
Stock (lower): x - Arisings (lower): x 0.50

WASTE SOURCE The waste arises from Thorp Plutonium Purification (PP) /Plutonium Finishing (PF) and Sellafield Product and Residues Store (SPRS) operations. There will also be waste as part of the clean-out strategy for PP/PF only.

PHYSICAL CHARACTERISTICS

General description: The waste will mainly be metal wastes associated with redundant plant items, concrete and secondary wastes.

Changes since waste generated: The waste has not undergone any change since it was generated.

Bulk density (t/m³): = 0.37

Comment on density: The total bulk density has been calculated based on the 5 year forecast and relevant waste characterisation document.

CHEMICAL COMPOSITION

General description and components (%wt): Metals (40.1%), Concrete/Rubble (29%), Wood (3%), Rubber (1%), Halogenated Plastics (19.4%), Non-Halogenated Plastics (2.7%), Hydrocarbons (0.2%), Other Organics (2.7%), Asbestos (0.8%) and Other (1.1%).

Chemical state: Neutral

Sheet metal proportion / thickness: Metal thickness not specified.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	= 7.8	-	
Other ferrous metals.....	= 21.5	-	
Iron.....	= 1.4	-	
Aluminium.....	= 3.2	-	
Beryllium.....		-	
Cobalt.....		-	
Copper.....	= 0.49	-	
Lead.....	= 3.2	-	
Magnox/Magnesium.....		-	
Nickel.....		-	
Titanium.....		-	
Uranium.....		-	
Zinc.....	= 0.31	-	
Zircaloy/Zirconium.....		-	
Other metals.....	= 2.3	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulotics.....	= 3.0	-	
Paper, cotton.....		-	
Wood.....	= 3.0	-	
Halogenated plastics.....	= 19.4	-	
Total non-halogenated plastics.....	= 2.7	-	
Condensation polymers.....		-	
Others.....		-	
Organic ion exchange materials.....		-	
Total rubber.....	= 1.0	-	
Halogenated rubber.....		-	
Non-halogenated rubber.....		-	
Hydrocarbons.....	= 0.19	-	
Oil or grease.....	= 0.19	-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....	= 2.7	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....		-	
Inorganic sludges and flocs.....		-	
Soil.....		-	
Brick/Stone/Rubble.....	= 29.0	-	
Cementitious material.....		-	
Sand.....		-	
Glass/Ceramics.....	= 0.27	-	
Graphite.....		-	
Desiccants/Catalysts.....	= 0.81	-	
Asbestos.....	= 0.81	-	
Non/low friable.....	= 0.27	-	
Moderately friable.....	= 0.27	-	
Highly friable.....	= 0.27	-	
Free aqueous liquids.....		-	
Free non-aqueous liquids.....		-	
Powder/Ash.....		-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....		-
Chloride.....		-
Iodide.....		-
Cyanide.....		-
Carbonate.....		-
Nitrate.....		-
Nitrite.....		-
Phosphate.....		-
Sulphate.....		-
Sulphide.....		-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....		-
Low flash point liquids.....		-
Explosive materials.....		-
Phosphorus.....		-
Hydrides.....		-
Biological etc. materials.....		-
Biodegradable materials.....	= 1.0	-
Putrescible wastes.....		-
Non-putrescible wastes.....	= 1.0	-
Corrosive materials.....		-
Pyrophoric materials.....		-
Generating toxic gases.....		-
Reacting with water.....	= 3.5	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....		-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

Yes		
	(%wt)	Type(s) and comment
EDTA.....	< 0.01	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....	< 0.01	-

Physical components:

	Number	Type(s) and comment
Sources.....	= 0	-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		120 items every 5 years
EEE Type 2.....		120 items every 5 years
EEE Type 3.....		120 items every 5 years
EEE Type 4.....		120 items every 5 years
EEE Type 5.....		120 items every 5 years

Planned on-site / off-site treatment(s):

Comments on planned treatments:

For inventory purposes, it is assumed that supercompaction will continue after the closure of WAMAC in 2028. Waste not requiring treatment is 'out of scope' metal.

Conditioning plants:

Likely conditioning matrix: -

Further information on the conditioning matrix:

Likely container type:

Range in container waste loading:

Other information on packaging and conditioning:

Conditioned density (t/m³): -
Conditioned density comment: -

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: The activity originates from the plutonium purification and finishing areas of Thorp as well as the product and residues stores.

Uncertainty: The uncertainty associated with the derived fingerprint is likely to be relatively low, however the volumes and total activity information (and possibly some other assumptions) are likely to be more notional and thus more uncertain.

Measurement of radioactivities: Specific activity data is based on data in the corresponding WCH, which in turn maps an estimated total activity to a derived radionuclide fingerprint.

Chemical form of radionuclides:

- H-3: -
- C-14: -
- Cl-36: -
- Se-79: -
- Tc-99: -
- I-129: -
- Ra: -
- Th: -
- U: -
- Np: -
- Pu: -

WASTE STREAM		2X54		Disposal of LLW from the Thorp PP/PF and SPRS					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237			= 4.86E-11	C C 2
Sn 119m					Pu 236				
Sn 121m					Pu 238			= 1.15E-05	C C 2
Sn 123					Pu 239			= 2.03E-06	C C 2
Sn 126					Pu 240			= 3.79E-06	C C 2
Sb 125					Pu 241			= 1.74E-04	C C 2
Sb 126					Pu 242			= 4.17E-09	C C 2
Te 125m					Am 241			= 5.39E-06	C C 2
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137			= 1.87E-11	C C 2	Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Unsp a				
Eu 152					Unsp b/g				
Eu 154			= 1.26E-13	C C 2	Total a	0	*	2.27E-05	*
Eu 155					Total b/g	0	*	1.74E-04	*

Bands (Upper and Lower)

A a factor of 1.5
 B a factor of 3
 C a factor of 10
 D a factor of 100
 E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity
 * Total calculated from the 114 declared radionuclides