

WASTE STREAM	5C305	DIDO Reactor Decommissioning LLW
--------------	-------	----------------------------------

SITE Harwell

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 0		
Future arisings:	1.4.2040 - 31.3.2054	262.0		
Total future arisings:		262.0		
Total waste volume:		262.0		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: Volumes updated for 2016 RWI to reflect SMART Inventory review

Uncertainty factors on volumes:

Stock (upper):	x -	Arisings (upper):	x 1.30
Stock (lower):	x -	Arisings (lower):	x 0.70

WASTE SOURCE Decommissioning of a 26MW(T) reactor in steel containment building with heavy water moderator.

PHYSICAL CHARACTERISTICS

General description: Steels and concrete from reactor and reactor storage blocks, lead fill and secondary waste.

Changes since waste generated: -

Bulk density (t/m³): ~ 3.0

Comment on density: Average density of barytes concrete (3.4 t/m³), lead (11.3 t/m³), steel (7.8 t/m³), boral (2.7 t/m³) and care and maintenance waste (0.81 t/m³).

CHEMICAL COMPOSITION

General description and components (%wt): The biological shield and the waste from the care and maintenance will dominate the chemical composition of the waste. Barytes concrete 86%, lead ~7%, Steel+ Boral ~1%; C&M waste (soft organics) ~6%.

Chemical state: Neutral

Sheet metal proportion / thickness: Metal is present in a large range of thicknesses.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	~ 1.0	Steel+ Boral	
Other ferrous metals.....	P	-	
Iron.....	-	-	
Aluminium.....	P	-	
Beryllium.....	= 0	-	
Cobalt.....	-	-	
Copper.....	NE	-	
Lead.....	~ 7.0	-	
Magnox/Magnesium.....	TR	-	
Nickel.....	-	-	
Titanium.....	-	-	
Uranium.....	TR	-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	TR	-	
Other metals.....	NE	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose...	~ 1.0	-	
Paper, cotton...	~ 1.0	-	
Wood...	P	-	
Halogenated plastics...	~ 1.0	PVC and PTFE	
Total non-halogenated plastics...	~ 2.0	-	
Condensation polymers...	TR	-	
Others...	~ 2.0	-	
Organic ion exchange materials...	= 0	-	
Total rubber...	0.90	-	
Halogenated rubber...	~ 0.90	neoprene and hypalon.	
Non-halogenated rubber...	NE	-	
Hydrocarbons...		-	
Oil or grease...		-	
Fuel...		-	
Asphalt/Tarmac (cont.coal tar)...		-	
Asphalt/Tarmac (no coal tar)...		-	
Bitumen...		-	
Others...		-	
Other organics...	TR	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials...	= 0	-	
Inorganic sludges and flocs...	= 0	-	
Soil...	TR	-	
Brick/Stone/Rubble...	TR	-	
Cementitious material...	= 86.0	Barytes concrete	
Sand...		-	
Glass/Ceramics...	= 0	-	
Graphite...	= 0	-	
Desiccants/Catalysts...		-	
Asbestos...	< 1.0	Probably chrysotile	
Non/low friable...		-	
Moderately friable...		-	
Highly friable...	< 1.0	-	
Free aqueous liquids...	= 0	-	
Free non-aqueous liquids...	= 0	-	
Powder/Ash...	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride...	= 0	-
Chloride...	= 0	-
Iodide...	= 0	-
Cyanide...	= 0	-
Carbonate...	P	-
Nitrate...	= 0	-
Nitrite...	= 0	-
Phosphate...	= 0	-
Sulphate...	= 0	-
Sulphide...	= 0	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals...	= 0	-
Low flash point liquids...	= 0	-
Explosive materials...	= 0	-
Phosphorus...	= 0	-
Hydrides...	= 0	-
Biological etc. materials...	= 0	-
Biodegradable materials...	0	-
Putrescible wastes...	= 0	-
Non-putrescible wastes...		-
Corrosive materials...	= 0	-
Pyrophoric materials...	= 0	-
Generating toxic gases...	= 0	-
Reacting with water...	= 0	-
Higher activity particles...		-
Soluble solids as bulk chemical compounds...		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

No		
	(%wt)	Type(s) and comment
EDTA.....	= 0	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction	Off-site	= 19.0
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		= 81.0
Treatment not yet determined		
None		

Comments on planned treatments:

-

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	1/2 Height WAMAC IP-2 ISO (TC08)	19.0	21.6	18.8	3	-
	1/2 Height IP-2 Disposal/Re-usable ISO (TC01/TC02)	81.0	10.0	18.3	22	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -
Conditioned density comment: -**Management Routes:**

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0	3.0	2040
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: The main sources of activity are activated steel components and concrete with small traces of contamination.

Uncertainty: Expected that waste will comprise primarily of beta/gamma emitting radionuclides. Alpha emitting radionuclides may be present but they are expected to be in small quantities.

Measurement of radioactivities: Specific activity calculated based on the original radioactive inventory for the structural components of Dido and on the known operational history and the flux rates of the reactors. This inventory has been improved and corrected to include the structural materials.

Chemical form of radionuclides: H-3: Tritium is present in the concrete and there are some tritium contaminated components.
C-14: Activation product
Cl-36: Activation product
Se-79: -
Tc-99: -
I-129: -
Ra: -
Th: -
U: -
Np: -
Pu: -

WASTE STREAM 5C305 DIDO Reactor Decommissioning LLW									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3			= 2.39E-03	C C 2	Gd 153				8
Be 10				8	Ho 163				8
C 14				8	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			= 2.11E-07	C C 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Ti 204				8
Mn 54				8	Pb 205				8
Fe 55			= 7.97E-05	C C 2	Pb 210				8
Co 60			= 8.47E-04	C C 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63			= 2.45E-02	C C 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				8	Cm 244				8
Ba 133			1.19E-04	C C 2	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			= 1.33E-08	C C 2	Unsp a				
Eu 152			= 1.20E-04	C C 2	Unsp b/g				
Eu 154			= 5.27E-06	C C 2	Total a	0	*	0	*
Eu 155				8	Total b/g	0	*	2.81E-02	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides