

WASTE STREAM	9A43	FED Magnox
--------------	------	------------

SITE Berkeley

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025			
Future arisings:	= 7.0			
Total future arisings:	0.0			
Total waste volume:	7.0			

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: Station operation ceased in March 1989. This waste stream was accumulated between May 1991 and December 1993. The volume quoted is the estimated bulk volume of the waste if separated from other wastes with which it is mixed. The range in the volume of Magnox debris is estimated to be between 5.2m³ and 8.4 m³.

Uncertainty factors on volumes: Stock (upper): x 1.30 Arisings (upper): x -
Stock (lower): x 0.80 Arisings (lower): x -

WASTE SOURCE The source of the waste is the removal of splitters and top end guides from fuel elements prior to dispatch of the elements to Sellafield.

PHYSICAL CHARACTERISTICS

General description: The waste comprises Magnox splitters and top end guides removed from fuel elements prior to dispatch of the element to Sellafield. These sections were removed during the desplitting operation. The desplitting process can distort the splitter assemblies and splitters, and can break the top end guide. The Magnox splitters and top end guide are 496mm and 107mm in length respectively. Components may weigh up to about 30g. The total weight of Magnox removed from each element was 118g. From the dimensions and masses quoted above and recognising that the components will be broken and distorted during the desplitting operation it is therefore unlikely that there will be any large items which will require special handling.

Changes since waste generated: -

Bulk density (t/m³): = 0.57

Comment on density: The average bulk density of 0.57 t/m³ assumes a packing factor to give an overall volume of about three times the displacement volume of the waste.

CHEMICAL COMPOSITION

General description and components (%wt): Magnox metal (Type AL80) >99% wt. Fission product and actinide contamination. Also graphite contamination. Activation of impurities within the Magnox.

Chemical state: Alkali

Sheet metal proportion / thickness: The thickness of some 75% wt of the waste will be of the order of a mm or less, the other 25% wt of the waste will be a few mm thick.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	= 0	-	The waste is Magnox AL80 which includes 0.8% wt aluminium as an alloying constituent.
Other ferrous metals.....	= 0	-	
Iron.....	-	-	
Aluminium.....	-	-	
Beryllium.....	TR	-	
Cobalt.....	-	-	
Copper.....	= 0	-	
Lead.....	= 0	-	
Magnox/Magnesium.....	> 99.0	The waste is Magnox AL80 which includes 0.8% wt aluminium as an alloying constituent.	
Nickel.....	-	-	
Titanium.....	-	-	
Uranium.....	-	-	
Zinc.....	TR	-	
Zircaloy/Zirconium.....	= 0	-	
Other metals.....	= 0	The waste is entirely Magnox.	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	= 0	-	The waste is entirely Magnox.
Paper, cotton.....	= 0	-	
Wood.....	= 0	-	
Halogenated plastics.....	= 0	-	
Total non-halogenated plastics.....	= 0	-	
Condensation polymers.....	= 0	-	
Others.....	= 0	-	
Organic ion exchange materials.....	= 0	-	
Total rubber.....	= 0	-	
Halogenated rubber.....	= 0	-	
Non-halogenated rubber.....	= 0	-	
Hydrocarbons.....	-	-	
Oil or grease.....	-	-	
Fuel.....	-	-	
Asphalt/Tarmac (cont.coal tar).....	-	-	
Asphalt/Tarmac (no coal tar).....	-	-	
Bitumen.....	-	-	
Others.....	-	-	
Other organics.....	TR	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	The waste is entirely Magnox.
Inorganic sludges and flocs.....	= 0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	= 0	-	
Cementitious material.....	= 0	-	
Sand.....	-	-	
Glass/Ceramics.....	= 0	-	
Graphite.....	TR	-	
Desiccants/Catalysts.....	-	-	
Asbestos.....	= 0	-	
Non/low friable.....	-	-	
Moderately friable.....	-	-	
Highly friable.....	-	-	
Free aqueous liquids.....	TR	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	P	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	TR	-
Chloride.....	TR	-
Iodide.....	= 0	-
Cyanide.....	= 0	-
Carbonate.....	TR	-
Nitrate.....	TR	-
Nitrite.....	TR	-
Phosphate.....	TR	-
Sulphate.....	TR	-
Sulphide.....	= 0	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	> 99.0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	-	-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	> 99.0	-
Higher activity particles.....	-	-
Soluble solids as bulk chemical compounds.....	-	-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

Yes		
	(%wt)	Type(s) and comment
EDTA.....	TR	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....	TR	-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None		

Comments on planned treatments:

-

Conditioning method:

This stream is to be co-packaged with 9A63, 9A64, 9A83, 9A84, 9A33, 9A34, 9A35, 9A41, 9A42, 9A49, 9A50, 9A51, 9A54, 9A55, 9A56, 9A74. Packages are assigned to 9A33/C, 9A34, 9A74.

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:

Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
-	-	-	-	-	-

Range in container waste loading:

-

Other information on packaging and conditioning:

-

Conditioned density (t/m³):

-

Conditioned density comment:

-

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)			
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Activation, when the associated fuel elements were irradiated, of nuclides incorporated into the Magnox. Contamination by fission products and actinides when the fuel elements were in the fuel pond.

Uncertainty: The values quoted are indicative of the activities that might be expected.

Measurement of radioactivities: Specific activity is a function of Station operating history. Values were derived from measurements, calculations of induced activity and estimates of likely contamination.

Chemical form of radionuclides: H-3: Tritium is expected to be present as surface contamination, possibly as water, but perhaps in the form of other inorganic or organic compounds.
C-14: Carbon 14 will probably be present as graphite.
Cl-36: Chlorine 36 incorporated in the Magnox may be associated with barium impurity (barium chloride). Other chlorine 36 may be associated with surface contamination.
Se-79: The selenium content is insignificant.
Tc-99: The technetium content is insignificant.
I-129: -
Ra: Radium isotope content is insignificant.
Th: The thorium isotope content is insignificant.
U: Chemical form of U isotopes has not been determined but may be oxides.
Np: The neptunium content is insignificant.
Pu: Chemical form of Pu isotopes has not been determined but may be oxides.

WASTE STREAM 9A43 FED Magnox									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	1.09E-03	C C 2			Gd 153		8		
Be 10	2.00E-07	C C 2			Ho 163		8		
C 14	2.00E-04	C C 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26	4.00E-05	C C 2			Tm 171		8		
Cl 36	3.00E-04	C C 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41	< 2.00E-05	C 3			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55	2.05E-05	C C 2			Pb 210		8		
Co 60	< 4.69E-04	C 3			Bi 208		8		
Ni 59	2.00E-05	C C 2			Bi 210m		8		
Ni 63	2.65E-03	C C 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	4.55E-05	C C 2			Th 227		8		
Zr 93	5.00E-08	C C 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	3.10E-08	C C 2			Th 232		8		
Nb 94		8			Th 234	5.00E-08	C C 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	6.47E-09	C C 2		
Tc 99	2.00E-07	C C 2			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	5.11E-08	C C 2		
Ag 108m	3.88E-06	C C 2			U 235	1.00E-09	C C 2		
Ag 110m		8			U 236	7.01E-09	C C 2		
Cd 109		8			U 238	5.00E-08	C C 2		
Cd 113m	< 1.22E-04	C 3			Np 237	6.47E-09	C C 2		
Sn 119m		8			Pu 236		8		
Sn 121m	< 2.38E-04	C 3			Pu 238	1.73E-05	C C 2		
Sn 123		8			Pu 239	2.00E-05	C C 2		
Sn 126		8			Pu 240	3.00E-05	C C 2		
Sb 125	4.28E-07	C C 2			Pu 241	8.43E-04	C C 2		
Sb 126		8			Pu 242	2.00E-08	C C 2		
Te 125m	1.07E-07	C C 2			Am 241	9.62E-05	C C 2		
Te 127m		8			Am 242m	1.83E-07	C C 2		
I 129		8			Am 243	5.00E-08	C C 2		
Cs 134		8			Cm 242	1.51E-07	C C 2		
Cs 135		8			Cm 243	3.96E-08	C C 2		
Cs 137	4.62E-05	C C 2			Cm 244	3.01E-07	C C 2		
Ba 133	< 6.15E-05	C 3			Cm 245		8		
La 137	< 5.00E-06	C 3			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	< 3.44E-05	C 3			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	1.74E-07	C C 2			Unsp a				
Eu 152	1.19E-09	C C 2			Unsp b/g				
Eu 154	1.18E-07	C C 2			Total a	1.64E-04	*	0	*
Eu 155	1.55E-08	C C 2			Total b/g	6.21E-03	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides