

WASTE STREAM	9A80	Drummed Sludge
--------------	------	----------------

SITE Berkeley

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 3.7		
Future arisings:				
Total future arisings:		0.0		
Total waste volume:		3.7		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: -

Uncertainty factors on volumes:

Stock (upper):	x 1.10	Arisings (upper):	x -
Stock (lower):	x 0.80	Arisings (lower):	x -

WASTE SOURCE The sludge originates from routine filtration of liquid effluents and cooling pond water and from special clean-up operations on cooling ponds at Berkeley Power Station and Berkeley Centre.

PHYSICAL CHARACTERISTICS

General description: The waste consists of debris washed from persons, floors and clothing, corrosion products such as magnesium hydroxide and carbonate detached from fuel elements and extraneous materials such as flakes of paint. Also there is some filter sand. Sludge particles may be up to millimetre size, and there will probably be 50-450 kg/m³ of dry material. There are no large items that may require special handling. 200 litre drums containing the waste.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.2

Comment on density: The density of sludge including the drum is estimated to be about 1.2 t/m³.

CHEMICAL COMPOSITION

General description and components (%wt): Sand, magnesium hydroxide, magnesium carbonate and a range of other materials. Mild steel drums containing the waste.

Chemical state: Alkali

Sheet metal proportion / thickness: The waste is contained in 200l drums with walls about 1 to 2mm thick.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	NE	-	
Other ferrous metals.....	~ 10.0	-	
Iron.....	-	-	
Aluminium.....	< 0.50	-	
Beryllium.....	TR	-	
Cobalt.....	-	-	
Copper.....	NE	-	
Lead.....	TR	-	
Magnox/Magnesium.....	< 4.0	-	
Nickel.....	-	-	
Titanium.....	-	-	
Uranium.....	-	-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	NE	-	
Other metals.....	NE	The presence of "other" metals has not been fully assessed.	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	NE	-	
Paper, cotton.....	NE	-	
Wood.....	NE	-	
Halogenated plastics.....	< 1.0	-	
Total non-halogenated plastics.....	NE	-	
Condensation polymers.....	NE	-	
Others.....	NE	-	
Organic ion exchange materials.....	NE	-	
Total rubber.....	NE 1.0	-	
Halogenated rubber.....	< 1.0	-	
Non-halogenated rubber.....	NE	-	
Hydrocarbons.....		-	
Oil or grease.....		-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....	NE	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	NE	-	
Inorganic sludges and flocs.....	< 90.0	-	
Soil.....	NE	-	
Brick/Stone/Rubble.....	NE	-	
Cementitious material.....	NE	-	
Sand.....		-	
Glass/Ceramics.....	NE	-	
Graphite.....	NE	-	
Desiccants/Catalysts.....		-	
Asbestos.....	= 0	-	
Non/low friable.....		-	
Moderately friable.....		-	
Highly friable.....		-	
Free aqueous liquids.....	P	-	
Free non-aqueous liquids.....	P	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	= 0	-
Carbonate.....	= 5.0	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	= 0.90	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	< 4.0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	TR	-
Biodegradable materials.....	0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....		-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	NE	-
Reacting with water.....	< 4.0	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

Yes		
	(%wt)	Type(s) and comment
EDTA.....	TR	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None	On-site	100.0

Comments on planned treatments:

Conditioning method: Waste currently stored in DCIC, to be conditioned in the future.

Conditioning plants:

Plant Name	Location
BRK AVDS	Berkeley

Likely conditioning matrix:

Further information on the conditioning matrix:

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	3 m³ RS box	100.0	1.9	2.5	2	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -
Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	100.0		
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Sludge contaminated by fission products and activation products including actinides.

Uncertainty: Specific activity is a function of Station operating history. The values are indicative of the activities that might be expected.

Measurement of radioactivities: The values quoted were derived by extrapolation from available measurements.

Chemical form of radionuclides:

H-3: Most tritium is expected to be present as water but some may be present in the form of other organic or inorganic compounds.

C-14: Carbon 14 may be present as graphite.

Cl-36: The chemical form of chlorine 36 has not been assessed.

Se-79: The selenium content is insignificant.

Tc-99: The technetium content is insignificant.

I-129: -

Ra: The radium isotope content is insignificant.

Th: The thorium isotope content is insignificant.

U: The chemical form of uranium isotopes has not been determined but may be present as uranium oxides.

Np: The neptunium content is insignificant.

Pu: The chemical form of plutonium isotopes has not been determined but may be present as plutonium oxides.

WASTE STREAM 9A80 Drummed Sludge									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	1.09E-04	C C 2			Gd 153		8		
Be 10	2.00E-08	C C 2			Ho 163		8		
C 14	4.00E-04	C C 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26	5.00E-06	C C 2			Tm 171		8		
Cl 36	2.00E-05	C C 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		8
K 40		8			Hf 182		8		
Ca 41	3.00E-06	C C 2			Pt 193		8		
Mn 53		8			Ti 204		8		
Mn 54		8			Pb 205		8		
Fe 55	9.22E-07	C C 2			Pb 210		8		
Co 60	2.81E-05	C C 2			Bi 208		8		
Ni 59	3.00E-06	C C 2			Bi 210m		8		
Ni 63	4.41E-04	C C 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79	1.72E-08	C C 2			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	1.30E-02	C C 2			Th 227		8		
Zr 93	6.00E-07	C C 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	4.09E-07	C C 2			Th 232		8		
Nb 94		8			Th 234	2.00E-06	C C 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	9.00E-06	C C 2		
Tc 99	2.00E-07	C C 2			U 232		8		
Ru 106		8			U 233		8		
Pd 107	3.00E-08	C C 2			U 234	1.01E-06	C C 2		
Ag 108m	9.70E-09	C C 2			U 235	< 5.00E-08	C 3		
Ag 110m		8			U 236	2.00E-07	C C 2		
Cd 109		8			U 238	2.00E-06	C C 2		
Cd 113m	8.12E-08	C C 2			Np 237	9.00E-06	C C 2		
Sn 119m		8			Pu 236		8		
Sn 121m	7.91E-04	C C 2			Pu 238	2.60E-04	C C 2		
Sn 123		8			Pu 239	7.00E-04	C C 2		
Sn 126	8.70E-08	C C 2			Pu 240	6.99E-04	C C 2		
Sb 125	9.61E-09	C C 2			Pu 241	1.27E-03	C C 2		
Sb 126	1.22E-08	C C 2			Pu 242	6.00E-07	C C 2		
Te 125m	2.41E-09	C C 2			Am 241	4.45E-04	C C 2		
Te 127m		8			Am 242m	3.66E-06	C C 2		
I 129	9.00E-09	C C 2			Am 243	2.00E-06	C C 2		
Cs 134	9.51E-09	C C 2			Cm 242	3.02E-06	C C 2		
Cs 135	2.00E-06	C C 2			Cm 243	4.61E-06	C C 2		
Cs 137	1.32E-01	C C 2			Cm 244	2.52E-06	C C 2		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	4.28E-07	C C 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	6.96E-05	C C 2			Unsp a				
Eu 152	1.19E-06	C C 2			Unsp b/g				
Eu 154	4.67E-05	C C 2			Total a	2.13E-03	*	0	*
Eu 155	2.34E-06	C C 2			Total b/g	1.48E-01	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides