

WASTE STREAM	9D28	Ion Exchange Material
--------------	------	-----------------------

SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 29.4		
Future arisings:				
Total future arisings:		0.0		
Total waste volume:		29.4		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: Residual amount of resin (~0.25m³) found in secondary containment & sump in 2016 containment inspection. This is believed to have been caused due to an event in 1999 when the tank overfilled whilst emptying Caesium Removal Unit's. Alternative method required to retrieve waste from secondary containment than that used for bulk ion exchange retrieval.

Uncertainty factors on volumes: Stock (upper): x 1.10 Arisings (upper): x -
Stock (lower): x 0.90 Arisings (lower): x -

WASTE SOURCE Spent ion exchange materials arising from the treatment of pond waters.

PHYSICAL CHARACTERISTICS

General description: The ion exchange material is stored under water in tanks. The dominant component was a dark black resin comprised of small dark resin beads consistent with Lewatit resin. The ion exchange material flooded with water would be expected to have a voidage of about 0.3, i.e. about 0.3 of the volume of a bed of settled flooded ion exchange material would be interstitial water. Due to the breakdown of IX material, there is a high probability of the activity being transferred into the interstitial water. There are no large items which may require special handling.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.2

Comment on density: The bulk density of the waste is expected to range from about 1.1 to 1.2 t/m³.

CHEMICAL COMPOSITION

General description and components (%wt): Dry resin (~33% wt), water (~67% wt) and some other organic material (0.1% wt). The accumulated ion exchange material is predominantly Lewatit DN (~85% by volume) with some Duolite, all stored in water.

Chemical state: Alkali

Sheet metal proportion / thickness: No sheet or bulk metal items are present.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	= 0	-	
Other ferrous metals.....	= 0	-	
Iron.....	-	-	
Aluminium.....	= 0	-	
Beryllium.....	0	-	
Cobalt.....	-	-	
Copper.....	= 0	-	
Lead.....	= 0	-	
Magnox/Magnesium.....	< 0.20	-	
Nickel.....	-	-	
Titanium.....	-	-	
Uranium.....	-	-	
Zinc.....	= 0	-	
Zircaloy/Zirconium.....	= 0	-	
Other metals.....	= 0	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose...	= 0	-	
Paper, cotton...	= 0	-	
Wood...	= 0	-	
Halogenated plastics...	= 0	-	
Total non-halogenated plastics...	= 0	-	
Condensation polymers...	= 0	-	
Others...	= 0	-	
Organic ion exchange materials...	~ 33.0	Lewatit DN (~85% by volume) with some Duolite	
Total rubber...	= 0	-	
Halogenated rubber...	= 0	-	
Non-halogenated rubber...	= 0	-	
Hydrocarbons...		-	
Oil or grease...		-	
Fuel...		-	
Asphalt/Tarmac (cont.coal tar)...		-	
Asphalt/Tarmac (no coal tar)...		-	
Bitumen...		-	
Others...		-	
Other organics...	< 0.10	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials...	= 0	-	
Inorganic sludges and flocs...	= 0	-	
Soil...	= 0	-	
Brick/Stone/Rubble...	= 0	-	
Cementitious material...	= 0	-	
Sand...		-	
Glass/Ceramics...	= 0	-	
Graphite...	TR	-	
Desiccants/Catalysts...		-	
Asbestos...	= 0	-	
Non/low friable...		-	
Moderately friable...		-	
Highly friable...		-	
Free aqueous liquids...	~ 67.0	-	
Free non-aqueous liquids...	= 0	-	
Powder/Ash...	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride...	= 0	-
Chloride...	< 0.10	-
Iodide...	= 0	-
Cyanide...	= 0	-
Carbonate...	< 0.10	-
Nitrate...	NE	-
Nitrite...	NE	-
Phosphate...	< 0.10	-
Sulphate...	< 0.30	-
Sulphide...	= 0	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals...	= 0.20	-
Low flash point liquids...	= 0	-
Explosive materials...	= 0	-
Phosphorus...	= 0	-
Hydrides...	0	-
Biological etc. materials...	= 0	-
Biodegradable materials...	0	-
Putrescible wastes...	= 0	-
Non-putrescible wastes...		-
Corrosive materials...	= 0	-
Pyrophoric materials...	= 0	-
Generating toxic gases...	= 0	-
Reacting with water...	= 0	-
Higher activity particles...		-
Soluble solids as bulk chemical compounds...		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

No		
	(%wt)	Type(s) and comment
EDTA.....	= 0	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None	On-site	100.0

Comments on planned treatments:

-

Conditioning method:

This stream is to be co-packaged with 9D26, 9D27 & 9D29. At time of disposal, 16 drums are to be packaged into each HD Concrete Box.

Conditioning plants:

Plant Name	Location
HPA MILWEP	Hinkley Point A

Likely conditioning matrix:

Unknown

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	6 m³ concrete box (HD)	100.0	2.5	5.8	12	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -
Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	100.0		
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Spent ion exchange resins arising from the treatment of pond water. Contamination by fission products, actinides and activation products.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative of the activities that might be expected.

Measurement of radioactivities: The values quoted were derived by extrapolation from available measurements.

Chemical form of radionuclides: H-3: The chemical form of tritium has not been determined but may be present as water or as other inorganic compounds or as organic compounds.
C-14: The chemical form of carbon 14 has not been determined.
Cl-36: The chemical form of chlorine 36 has not been determined.
Se-79: -
Tc-99: The chemical form of technetium has not been determined.
I-129: -
Ra: -
Th: -
U: The chemical form of uranium isotopes has not been determined but may be uranium oxides.
Np: -
Pu: The chemical form of plutonium isotopes has not been determined but may be plutonium oxides.

WASTE STREAM			9D28		Ion Exchange Material				
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	1.10E-06	C C 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	9.99E-07	C C 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26	2.00E-07	C C 2			Tm 171		8		
Cl 36	< 5.00E-07	C 3			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55	2.05E-07	C C 2			Pb 210		8		
Co 60	8.43E-08	C C 2			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63	4.41E-05	C C 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79	1.38E-07	C C 2			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	2.60E-02	C C 2			Th 227		8		
Zr 93	6.00E-06	C C 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	3.30E-06	C C 2			Th 232		8		
Nb 94		8			Th 234	4.00E-08	C C 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	5.10E-09	C C 2		
Tc 99	< 7.00E-04	C 3			U 232		8		
Ru 106	< 1.28E-09	C 3			U 233		8		
Pd 107	3.00E-07	C C 2			U 234	1.01E-07	C C 2		
Ag 108m		8			U 235	2.00E-09	C C 2		
Ag 110m		8			U 236	1.00E-08	C C 2		
Cd 109		8			U 238	4.00E-08	C C 2		
Cd 113m	1.62E-06	C C 2			Np 237	5.10E-09	C C 2		
Sn 119m		8			Pu 236		8		
Sn 121m	4.75E-02	C C 2			Pu 238	1.73E-05	C C 2		
Sn 123		8			Pu 239	1.00E-05	C C 2		
Sn 126	1.30E-07	C C 2			Pu 240	2.00E-05	C C 2		
Sb 125	< 8.60E-09	C 3			Pu 241	2.95E-04	C C 2		
Sb 126	1.82E-08	C C 2			Pu 242	7.00E-09	C C 2		
Te 125m	2.16E-09	C C 2			Am 241	2.30E-05	C C 2		
Te 127m		8			Am 242m	4.58E-08	C C 2		
I 129	< 1.00E-06	C 3			Am 243	2.00E-08	C C 2		
Cs 134	4.74E-04	C C 2			Cm 242	3.78E-08	C C 2		
Cs 135	7.00E-06	C C 2			Cm 243	1.97E-09	C C 2		
Cs 137	2.64E+00	C C 2			Cm 244	4.02E-08	C C 2		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	4.32E-08	C C 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	5.22E-07	C C 2			Unsp a				
Eu 152	< 1.19E-07	C 3			Unsp b/g				
Eu 154	1.41E-06	C C 2			Total a	7.06E-05	*	0	*
Eu 155	2.34E-07	C C 2			Total b/g	2.71E+00	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides