

WASTE STREAM	9D317	Concrete (Reactor and Non-Reactor) LLW
--------------	-------	--

SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 0		
Future arisings:	1.4.2050 - 31.3.2069	27019.0		
Total future arisings:		27019.0		
Total waste volume:		27019.0		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: For inventory purposes the arisings are assumed to arise at a uniform rate over 20 years.

Additional information on quantities: Reactor Dismantling & Site Clearance is assumed to commence in 2050 and last for 20 years. The volumes and radioactivity have been calculated for 50 years after reactor shutdown, i.e. 2050.

Uncertainty factors on volumes: Stock (upper): x - Arisings (upper): x 1.20
Stock (lower): x - Arisings (lower): x 0.80

WASTE SOURCE Concrete wastes from dismantling of reactors and associated plant.

PHYSICAL CHARACTERISTICS

General description: A wide variety of concrete and reinforced concrete items (reinforcing steel is described in waste stream 9D314). Waste can be packaged in standard LLW packages.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.4

Comment on density: The density is of the waste as cut for packaging assuming 20% of the concrete is in blocks and 80% is rubble.

CHEMICAL COMPOSITION

General description and components (%wt): Concrete (100%). Some of the concrete may include iron shot.

Chemical state: Alkali

Sheet metal proportion / thickness: There is no sheet metal or bulk metal in this waste stream.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	= 0	-	
Other ferrous metals.....	NE	Some of the concrete may incorporate iron shot.	
Iron.....	-	-	
Aluminium.....	= 0	-	
Beryllium.....	0	-	
Cobalt.....	-	-	
Copper.....	= 0	-	
Lead.....	= 0	-	
Magnox/Magnesium.....	= 0	-	
Nickel.....	-	-	
Titanium.....	-	-	
Uranium.....	-	-	
Zinc.....	= 0	-	
Zircaloy/Zirconium.....	= 0	-	
Other metals.....	= 0	Reinforcing steel is described in waste stream 9D314. Some of the concrete may include iron shot; otherwise only trace quantities of metals are expected.	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose...	= 0	-	
Paper, cotton...	= 0	-	
Wood...	= 0	-	
Halogenated plastics...	= 0	-	
Total non-halogenated plastics...	= 0	-	
Condensation polymers...	= 0	-	
Others...	= 0	-	
Organic ion exchange materials...	= 0	-	
Total rubber...	= 0	-	
Halogenated rubber...	= 0	-	
Non-halogenated rubber...	= 0	-	
Hydrocarbons...		-	
Oil or grease...		-	
Fuel...		-	
Asphalt/Tarmac (cont.coal tar)...		-	
Asphalt/Tarmac (no coal tar)...		-	
Bitumen...		-	
Others...		-	
Other organics...	= 0	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials...	= 0	-	100.0
Inorganic sludges and flocs...	= 0	-	
Soil...	= 0	-	
Brick/Stone/Rubble...	= 0	-	
Cementitious material...	= 100.0	-	
Sand...		-	
Glass/Ceramics...	= 0	-	
Graphite...	TR	-	
Desiccants/Catalysts...		-	
Asbestos...	= 0	-	
Non/low friable...		-	
Moderately friable...		-	
Highly friable...		-	
Free aqueous liquids...	= 0	-	
Free non-aqueous liquids...	= 0	-	
Powder/Ash...	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride...	< 1.0	-
Chloride...	< 1.0	-
Iodide...	< 1.0	-
Cyanide...	= 0	-
Carbonate...	< 2.0	-
Nitrate...	~ 1.0	-
Nitrite...	NE	-
Phosphate...	< 1.0	-
Sulphate...	~ 2.0	-
Sulphide...	< 1.0	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals...	= 0	-
Low flash point liquids...	= 0	-
Explosive materials...	= 0	-
Phosphorus...	= 0	-
Hydrides...	= 0	-
Biological etc. materials...	= 0	-
Biodegradable materials...	0	-
Putrescible wastes...	= 0	-
Non-putrescible wastes...		-
Corrosive materials...	= 0	-
Pyrophoric materials...	= 0	-
Generating toxic gases...	= 0	-
Reacting with water...	= 0	-
Higher activity particles...		-
Soluble solids as bulk chemical compounds...		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

Not yet determined		
	(%wt)	Type(s) and comment
EDTA.....	NE	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None		= 100.0

Comments on planned treatments:

-

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	-	-	-	-	-	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -
Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0	1.4	2050
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility: 17 01 01

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Activation of the concrete and impurities. There may be some contamination.

Uncertainty: The values quoted were derived by calculation from available material specifications and are indicative of the activities that are expected. The majority of uncertainty is in the impurity levels.

Measurement of radioactivities: The specific activities were estimated from neutron activation calculations of the material and its impurities. The activities quoted are those at 50 years after reactor shutdown, i.e. in 2050. There may be some contamination by Cs137.

Chemical form of radionuclides:

- H-3: The tritium is incorporated in the concrete.
- C-14: The carbon 14 is incorporated in the concrete.
- Cl-36: The chlorine 36 is incorporated in the concrete.
- Se-79: The selenium content is insignificant.
- Tc-99: The technetium content is insignificant.
- I-129: -
- Ra: The radium content is insignificant.
- Th: The thorium content is insignificant.
- U: The uranium content is insignificant.
- Np: The neptunium content is insignificant.
- Pu: The plutonium content is insignificant.

WASTE STREAM 9D317 Concrete (Reactor and Non-Reactor) LLW									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3			5.13E-04	C C 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			2.39E-06	C C 2	Ho 166m			1.26E-08	C C 2
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			1.95E-06	C C 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			4.95E-05	C C 2	Pt 193				8
Mn 53				8	Tl 204			1.83E-08	C C 2
Mn 54				8	Pb 205				8
Fe 55			2.92E-09	C C 2	Pb 210				8
Co 60			3.09E-07	C C 2	Bi 208				8
Ni 59			1.89E-08	C C 2	Bi 210m				8
Ni 63			1.41E-06	C C 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			1.71E-08	C C 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			1.90E-08	C C 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				8	Cm 244				8
Ba 133			2.17E-08	C C 2	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145			2.06E-09	C C 2	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			1.19E-06	C C 2	Unsp a				
Eu 152			4.51E-05	C C 2	Unsp b/g				
Eu 154			6.32E-07	C C 2	Total a	0	*	5.77E-18	*
Eu 155			3.34E-08	C C 2	Total b/g	0	*	6.16E-04	*

Bands (Upper and Lower)

A a factor of 1.5
 B a factor of 3
 C a factor of 10
 D a factor of 100
 E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity
 * Total calculated from the 114 declared radionuclides