

WASTE STREAM	9D48	Miscellaneous Contaminated Items
--------------	------	----------------------------------

SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE LLW

WASTE VOLUMES

	At 1.4.2025	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:		6.7			
Future arisings:					
Total future arisings:		0.0			
Total waste volume:		6.7			

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: There will be no further arisings of this waste stream.

Additional information on quantities: -

Uncertainty factors on volumes:

Stock (upper):	x 1.10	Arisings (upper):	x -
Stock (lower):	x 0.50	Arisings (lower):	x -

WASTE SOURCE The waste results from scrapping of a sand pressure filter from the sludge canning building.

PHYSICAL CHARACTERISTICS

General description: The waste is a scrapped sand pressure filter held in a transportable concrete cell/shield box. The filter cell measures 3.5 m x 3.5 m x 4.5 m and weighs 20 t including the filter.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.0

Comment on density: The assumption of 1 t/m³ as the average bulk density may be subject to revision.

CHEMICAL COMPOSITION

General description and components (%wt): The waste is principally steel and concrete, percentage breakdown is not assessed. The filter sand is accounted for in stream 9D32. Fission products, actinides and other activation products will be present as contaminants.

Chemical state: Neutral

Sheet metal proportion / thickness: The waste is predominantly a bulk metal item contained in a concrete cell. Dimensions are 3.5m x 3.5m x 4.5m.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	NE	-	
Other ferrous metals.....	~ 50.0	The metals are mainly carbon and low alloy steels.	
Iron.....	-	-	
Aluminium.....	NE	-	
Beryllium.....	NE	-	
Cobalt.....	-	-	
Copper.....	NE	-	
Lead.....	NE	-	
Magnox/Magnesium.....	NE	-	
Nickel.....	-	-	
Titanium.....	-	-	
Uranium.....	-	-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	NE	-	
Other metals.....	NE	Not fully assessed.	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	~ 5.0	-	
Paper, cotton.....	~ 5.0	-	
Wood.....	= 0	-	
Halogenated plastics.....	= 0	-	
Total non-halogenated plastics.....	= 0	-	
Condensation polymers.....	= 0	-	
Others.....	= 0	-	
Organic ion exchange materials.....	= 0	-	
Total rubber.....	~ 3.0	-	
Halogenated rubber.....	NE	-	
Non-halogenated rubber.....	~ 3.0	-	
Hydrocarbons.....		-	
Oil or grease.....		-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....	~ 20.0	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	
Inorganic sludges and flocs.....	= 0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	~ 20.0	-	
Cementitious material.....		-	
Sand.....	NE	-	
Glass/Ceramics.....	~ 2.0	-	
Graphite.....	= 0	-	
Desiccants/Catalysts.....		-	
Asbestos.....	= 0	-	
Non/low friable.....		-	
Moderately friable.....		-	
Highly friable.....		-	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	P	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	= 0	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....		-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

Yes		
	(%wt)	Type(s) and comment
EDTA.....	TR	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None		= 100.0

Comments on planned treatments:

-

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	1/2 Height IP-2 Disposal/Re-usable ISO (TC01/TC02)	100.0	10.0	18.3	1	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -
Conditioned density comment: -**Management Routes:**

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0	1.0	
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Contamination from the filtration of fuel pond water. Specific activity is a function of Station operating history.

Uncertainty: The values quoted are indicative of the activities that might be expected.

Measurement of radioactivities: Indicative estimate.

Chemical form of radionuclides:

H-3: The chemical form of tritium has not been assessed.
C-14: The chemical form of carbon 14 has not been assessed.
Cl-36: The chemical form of chlorine 36 has not been assessed.
Se-79: The chemical form of selenium has not been determined.
Tc-99: The chemical form of technetium has not been determined.
I-129: -
Ra: Radium isotopes content is insignificant.
Th: The thorium content is insignificant.
U: The chemical form of uranium isotopes has not been determined but may be uranium oxides.
Np: The chemical form of neptunium has not been determined.
Pu: The chemical form of plutonium isotopes has not been determined but may be plutonium oxides.

WASTE STREAM		9D48		Miscellaneous Contaminated Items					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	7.29E-05	C D 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	9.99E-07	C D 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36	8.00E-05	C D 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55	1.02E-07	C D 2			Pb 210		8		
Co 60	2.82E-06	C D 2			Bi 208		8		
Ni 59	1.00E-07	C D 2			Bi 210m		8		
Ni 63	7.93E-06	C D 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79	1.21E-09	C D 2			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	4.55E-04	C D 2			Th 227		8		
Zr 93	6.00E-08	C D 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	3.62E-08	C D 2			Th 232		8		
Nb 94		8			Th 234	3.00E-08	C D 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	4.19E-09	C D 2		
Tc 99	3.00E-07	C D 2			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	3.11E-08	C D 2		
Ag 108m	< 2.93E-07	D 3			U 235		8		
Ag 110m		8			U 236	4.01E-09	C D 2		
Cd 109		8			U 238	3.00E-08	C D 2		
Cd 113m		8			Np 237	4.19E-09	C D 2		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	1.73E-05	C D 2		
Sn 123		8			Pu 239	1.00E-05	C D 2		
Sn 126	4.35E-09	C D 2			Pu 240	2.00E-05	C D 2		
Sb 125		8			Pu 241	1.26E-04	C D 2		
Sb 126		8			Pu 242	1.00E-08	C D 2		
Te 125m		8			Am 241	3.49E-05	C D 2		
Te 127m		8			Am 242m	8.24E-08	C D 2		
I 129		8			Am 243	3.00E-08	C D 2		
Cs 134		8			Cm 242	6.80E-08	C D 2		
Cs 135	1.00E-08	C D 2			Cm 243	1.32E-08	C D 2		
Cs 137	4.63E-04	C D 2			Cm 244	1.50E-07	C D 2		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	4.27E-09	C D 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	2.61E-06	C D 2			Unsp a				
Eu 152	7.88E-09	C D 2			Unsp b/g				
Eu 154	7.01E-07	C D 2			Total a	8.25E-05	*	0	*
Eu 155	3.86E-08	C D 2			Total b/g	1.21E-03	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides