

WASTE STREAM	9D49	Ion Siv Unit Pre Filters
--------------	------	--------------------------

SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 2.2		
Future arisings:				
Total future arisings:		0.0		
Total waste volume:		2.2		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: A total of 42 pre filters have been used. Each pre filter has a volume of 0.053 m3.

Uncertainty factors on volumes: Stock (upper): x 1.10 Arisings (upper): x -
Stock (lower): x 0.90 Arisings (lower): x -

WASTE SOURCE Filtration of pond water.

PHYSICAL CHARACTERISTICS

General description: Spent pre filters that form part of the submersible caesium removal unit. The size of the pre filters will not influence the choice of treatment process or disposal container.

Changes since waste generated: -

Bulk density (t/m³): = 0.57

Comment on density: The density of 0.57 t/m3 assumes that each pre filter will contain 2 kg of sludge, giving a total mass of 30 kg for each pre filter.

CHEMICAL COMPOSITION

General description and components (%wt): The waste is spent pre filters, which are composed principally of stainless steel supports with glass fibre/polyester filter elements and some organic materials. Pre filters will typically hold a maximum of 2 kg of sludge. Stainless steel (~90%), sludge (~10%) and EPDM seal material (<1%). (EPDM is ethylene diene terpolymer).

Chemical state: Neutral

Sheet metal proportion / thickness: -

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	~ 90.0	The stainless steel is SS316L; nickel and chromium will be major constituents of the stainless steel pre filter construction material.	
Other ferrous metals.....	NE	-	
Iron.....		-	
Aluminium.....	NE	-	
Beryllium.....	TR	-	
Cobalt.....		-	
Copper.....	NE	-	
Lead.....	NE	-	
Magnox/Magnesium.....	NE	-	
Nickel.....		-	
Titanium.....		-	
Uranium.....		-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	NE	-	
Other metals.....	NE	Only the stainless steel content of the waste has been assessed. The sludge may contain aluminium and some unreacted Magnox.	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulotics.....	= 0	-	
Paper, cotton.....	= 0	-	
Wood.....	= 0	-	
Halogenated plastics.....	= 0	-	
Total non-halogenated plastics.....	= 0	-	
Condensation polymers.....	= 0	-	
Others.....	= 0	-	
Organic ion exchange materials.....	= 0	-	
Total rubber.....	< 1.0	-	
Halogenated rubber.....	= 0	-	
Non-halogenated rubber.....	< 1.0	EPDM (ethylene diene terpolymer) seal material	
Hydrocarbons.....	-	-	
Oil or grease.....	-	-	
Fuel.....	-	-	
Asphalt/Tarmac (cont.coal tar).....	-	-	
Asphalt/Tarmac (no coal tar).....	-	-	
Bitumen.....	-	-	
Others.....	-	-	
Other organics.....	NE	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	
Inorganic sludges and flocs.....	~ 10.0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	= 0	-	
Cementitious material.....	= 0	-	
Sand.....	-	-	
Glass/Ceramics.....	NE	glass fibre filter elements	
Graphite.....	= 0	-	
Desiccants/Catalysts.....	-	-	
Asbestos.....	= 0	-	
Non/low friable.....	-	-	
Moderately friable.....	-	-	
Highly friable.....	-	-	
Free aqueous liquids.....	NE	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	-	-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....	-	-
Soluble solids as bulk chemical compounds.....	-	-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

Yes		
	(%wt)	Type(s) and comment
EDTA.....	TR	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None	On-site	100.0

Comments on planned treatments:

-

Conditioning method:

Direct grout encapsulation of solids into 196 litre drums, grout 16 drums into RCB.

Conditioning plants:

Plant Name	Location
HPA MILWEP	Hinkley Point A

Likely conditioning matrix:

Unknown

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	6 m³ concrete box (SD)	100.0	2.2	5.8	1	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -

Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	100.0		
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Contaminated sludge. Contamination by fission products, actinides and activation products.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative of the activities that might be expected.

Measurement of radioactivities: -

Chemical form of radionuclides:

- H-3: Most tritium is expected to be present as water.
- C-14: The chemical form of carbon 14 may be graphite.
- Cl-36: The chemical form of chlorine 36 may be chloride.
- Se-79: The selenium content is insignificant.
- Tc-99: The technetium content is insignificant.
- I-129: -
- Ra: The radium isotope content is insignificant.
- Th: The thorium isotope content is insignificant.
- U: The chemical form of uranium isotopes may be uranium oxides.
- Np: The neptunium content is insignificant.
- Pu: The chemical form of plutonium isotopes may be plutonium oxides.

WASTE STREAM			9D49		Ion Siv Unit Pre Filters				
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	2.60E-04	C C 2			Gd 153		8		
Be 10					Ho 163		8		
C 14	2.97E-04	B B 2			Ho 166m		8		
Na 22					Tm 170		8		
Al 26					Tm 171		8		
Cl 36					Lu 174		8		
Ar 39					Lu 176		8		
Ar 42					Hf 178n		8		
K 40					Hf 182		8		
Ca 41					Pt 193		8		
Mn 53					Tl 204		8		
Mn 54					Pb 205		8		
Fe 55	1.01E-05	C C 2			Pb 210		8		
Co 60	1.19E-04	C C 2			Bi 208		8		
Ni 59	6.20E-09	C C 2			Bi 210m		8		
Ni 63	7.62E-04	C C 2			Po 210		8		
Zn 65					Ra 223		8		
Se 79	2.36E-07	C C 2			Ra 225		8		
Kr 81					Ra 226		8		
Kr 85	1.81E-03	C C 2			Ra 228		8		
Rb 87					Ac 227		8		
Sr 90	6.36E-02	C C 2			Th 227		8		
Zr 93	1.30E-06	C C 2			Th 228	6.95E-07	B B 2		
Nb 91					Th 229		8		
Nb 92					Th 230		8		
Nb 93m	7.95E-07	C C 2			Th 232		8		
Nb 94					Th 234	1.20E-05	C C 2		
Mo 93					Pa 231		8		
Tc 97					Pa 233	1.96E-07	B B 2		
Tc 99	1.04E-04	B B 2			U 232	6.96E-07	C C 2		
Ru 106	2.02E-07	C C 2			U 233		8		
Pd 107	6.09E-08	B B 2			U 234	9.99E-06	C C 2		
Ag 108m					U 235	3.21E-07	C C 2		
Ag 110m					U 236	1.15E-06	C C 2		
Cd 109					U 238	1.20E-05	C C 2		
Cd 113m	5.22E-06	B B 2			Np 237	1.98E-07	B B 2		
Sn 119m					Pu 236		8		
Sn 121m	1.37E-05	B B 2			Pu 238	5.51E-03	C C 2		
Sn 123					Pu 239	7.80E-03	C C 2		
Sn 126	4.74E-07	B B 2			Pu 240	7.98E-03	C C 2		
Sb 125	4.22E-05	C C 2			Pu 241	8.37E-02	C C 2		
Sb 126	6.64E-08	B B 2			Pu 242	3.11E-07	C C 2		
Te 125m	1.06E-05	C C 2			Am 241	4.09E-02	C C 2		
Te 127m					Am 242m	3.06E-06	B B 2		
I 129	2.13E-08	C C 2			Am 243	5.88E-07	B B 2		
Cs 134	2.21E-05	B B 2			Cm 242	2.53E-06	C C 2		
Cs 135	6.03E-07	C C 2			Cm 243	1.93E-05	C C 2		
Cs 137	6.28E-03	B B 2			Cm 244	2.77E-04	C C 2		
Ba 133					Cm 245		8		
La 137					Cm 246		8		
La 138					Cm 248		8		
Ce 144	8.35E-09	C C 2			Cf 249		8		
Pm 145					Cf 250		8		
Pm 147	1.38E-09	C C 2			Cf 251		8		
Sm 147					Cf 252		8		
Sm 151	5.44E-04	B B 2			Unsp a				
Eu 152	4.29E-06	B B 2			Unsp b/g				
Eu 154	2.87E-04	C C 2			Total a	6.25E-02	*	0	*
Eu 155	3.01E-05	C C 2			Total b/g	1.58E-01	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides