

WASTE STREAM	9D80	MCI Metallic, contaminated metal from Pond operations
--------------	------	---

SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025			
Future arisings:				
Total future arisings:				
Total waste volume:				

Total future arisings: 0.0

Total waste volume: 4.7

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: No future arisings are expected.

Additional information on quantities: -

Uncertainty factors on volumes: Stock (upper): x 1.10 Arisings (upper): x -
Stock (lower): x 0.90 Arisings (lower): x -

WASTE SOURCE The waste is redundant equipment and material usually arising from irradiated fuel handling and pond operations.

PHYSICAL CHARACTERISTICS

General description: Redundant equipment and material. Metallic MCI, comprising 6 Stainless steel coffins containing trays, shredder, cutting machine, bottle rack, etc. Total volume = 4.7m³

Changes since waste generated: -

Bulk density (t/m³): ~ 1.4

Comment on density: Density provided by site following creation of materials based new streams from the parent 9D30 stream.

CHEMICAL COMPOSITION

General description and components (%wt): Redundant equipment and material. Metallic MCI, comprising 6 Stainless steel coffins containing trays, shredder, cutting machine, bottle rack, etc. Total volume = 4.7m³. Fission products, actinides and other activation products will be present as contaminants. Percentage breakdown by weight not determined.

Chemical state: Neutral

Sheet metal proportion / thickness: Steel coffins, drums and desplittering machine parts are present as bulk metal items. Dimensions have not been fully assessed.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	= 100.0	-	100.0
Other ferrous metals.....	NE	Carbon and low alloy steels may be present (BS 55304, 316 and 321).	
Iron.....	-	-	
Aluminium.....	NE	-	
Beryllium.....	NE	-	
Cobalt.....	-	-	
Copper.....	NE	-	
Lead.....	NE	-	
Magnox/Magnesium.....	NE	-	
Nickel.....	-	-	
Titanium.....	-	-	
Uranium.....	-	-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	NE	-	
Other metals.....	NE	Not fully assessed.	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	NE	-	
Paper, cotton.....	NE	-	
Wood.....	NE	-	
Halogenated plastics.....	NE	-	
Total non-halogenated plastics.....	NE	-	
Condensation polymers.....	NE	-	
Others.....	NE	-	
Organic ion exchange materials.....	NE	-	
Total rubber.....	NE	-	
Halogenated rubber.....	NE	-	
Non-halogenated rubber.....	NE	-	
Hydrocarbons.....		-	
Oil or grease.....	NE	-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....	NE	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	
Inorganic sludges and flocs.....	= 0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	NE	-	
Cementitious material.....	= 0	-	
Sand.....		-	
Glass/Ceramics.....	= 0	-	
Graphite.....	NE	-	
Desiccants/Catalysts.....		-	
Asbestos.....	NE	-	
Non/low friable.....		-	
Moderately friable.....		-	
Highly friable.....		-	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	TR	-	
Powder/Ash.....	P	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	= 0	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	NE	-
Low flash point liquids.....	NE	-
Explosive materials.....	NE	-
Phosphorus.....	NE	-
Hydrides.....	NE	-
Biological etc. materials.....	NE	-
Biodegradable materials.....	0	-
Putrescible wastes.....	NE	-
Non-putrescible wastes.....		-
Corrosive materials.....	NE	-
Pyrophoric materials.....	NE	-
Generating toxic gases.....	NE	-
Reacting with water.....	NE	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

Yes		
	(%wt)	Type(s) and comment
EDTA.....	TR	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None	On-site	100.0

Comments on planned treatments:

-

Conditioning method:

Direct grout encapsulation of solids into 196 litre drums, grout 16 drums into RCB.

Conditioning plants:

Plant Name	Location
HPA MILWEP	Hinkley Point A

Likely conditioning matrix:

Unknown

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	6 m³ concrete box (SD)	100.0	4.7	5.8	1	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -
Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	100.0		
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: The radioactivity has arisen both from activation and contamination while the materials were used in reactor or pond areas. Specific activity is a function of Station operating history.

Uncertainty: The values quoted are notional, representing an indicative Total Activity scaled to the subzone R1 & R2 Ponds 9D913 LLW fingerprint.

Measurement of radioactivities: -

Chemical form of radionuclides:

- H-3: The chemical form of tritium has not been assessed.
- C-14: The chemical form of carbon 14 has not been assessed.
- Cl-36: The chemical form of chlorine 36 has not been assessed.
- Se-79: The chemical form of selenium has not been determined.
- Tc-99: The chemical form of technetium has not been determined.
- I-129: -
- Ra: Radium isotope content is insignificant.
- Th: The thorium isotope content is insignificant.
- U: The chemical form of uranium isotopes has not been assessed but may be uranium oxides.
- Np: The chemical form of neptunium has not been determined.
- Pu: The chemical form of plutonium isotopes has not been assessed but may be plutonium oxides.

WASTE STREAM		9D80		MCI Metallic, contaminated metal from Pond operations					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	4.98E-06	D D 2			Gd 153		8		
Be 10					Ho 163		8		
C 14	1.28E-05	D D 2			Ho 166m		8		
Na 22					Tm 170		8		
Al 26					Tm 171		8		
Cl 36	4.10E-08	D D 2			Lu 174		8		
Ar 39					Lu 176		8		
Ar 42					Hf 178n		8		
K 40					Hf 182		8		
Ca 41					Pt 193		8		
Mn 53					Tl 204		8		
Mn 54					Pb 205		8		
Fe 55	1.12E-06	D D 2			Pb 210		8		
Co 60	2.06E-06	D D 2			Bi 208		8		
Ni 59					Bi 210m		8		
Ni 63	1.92E-05	D D 2			Po 210		8		
Zn 65					Ra 223		8		
Se 79					Ra 225		8		
Kr 81					Ra 226		8		
Kr 85					Ra 228		8		
Rb 87					Ac 227		8		
Sr 90	4.97E-03	D D 2			Th 227		8		
Zr 93					Th 228		8		
Nb 91					Th 229		8		
Nb 92					Th 230		8		
Nb 93m					Th 232		8		
Nb 94	6.93E-07	D D 2			Th 234	1.40E-06	D D 3		
Mo 93					Pa 231		8		
Tc 97					Pa 233	5.63E-09	D D 2		
Tc 99					U 232		8		
Ru 106					U 233		8		
Pd 107					U 234	1.28E-06	D D 2		
Ag 108m	8.62E-07	D D 3			U 235	3.10E-08	D D 2		
Ag 110m					U 236	1.24E-07	D D 2		
Cd 109					U 238	1.40E-06	D D 2		
Cd 113m					Np 237	5.74E-09	D D 2		
Sn 119m					Pu 236		8		
Sn 121m					Pu 238	3.56E-04	D D 2		
Sn 123					Pu 239	7.37E-04	D D 2		
Sn 126					Pu 240	7.37E-04	D D 2		
Sb 125	4.85E-08	D D 2			Pu 241	6.49E-03	D D 2		
Sb 126					Pu 242		8		
Te 125m	1.21E-08	D D 2			Am 241	2.97E-03	D D 2		
Te 127m					Am 242m		8		
I 129					Am 243		8		
Cs 134	5.52E-09	D D 2			Cm 242		8		
Cs 135					Cm 243	3.63E-07	D D 2		
Cs 137	8.61E-04	D D 2			Cm 244	1.20E-05	D D 2		
Ba 133	3.58E-07	D D 2			Cm 245		8		
La 137					Cm 246		8		
La 138					Cm 248		8		
Ce 144					Cf 249		8		
Pm 145					Cf 250		8		
Pm 147	7.51E-07	D D 2			Cf 251		8		
Sm 147					Cf 252		8		
Sm 151					Unsp a				
Eu 152	6.60E-07	D D 2			Unsp b/g				
Eu 154	2.15E-05	D D 2			Total a	4.82E-03	*	0	*
Eu 155	1.19E-06	D D 2			Total b/g	1.24E-02	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides