

WASTE STREAM	9D923	Redundant Sealed Sources
--------------	-------	--------------------------

SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025			
Future arisings:	1.4.2041 - 31.3.2042			
Total future arisings:	< 0.1			
Total waste volume:	< 0.1			

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: A small number of sources accounted for in future arisings maybe disposed of prior to 2041. Common volume assumption of 0.0002m³ per source (10cm x 10cm x 2cm) has been applied. Data from site source register shows 40 sources in stock and 68 forecast future arisings.

Uncertainty factors on volumes: Stock (upper): x 1.10 Arisings (upper): x 1.10
Stock (lower): x 0.50 Arisings (lower): x 0.50

WASTE SOURCE Redundant sealed sources used for a variety of purposes around the site.

PHYSICAL CHARACTERISTICS

General description: Various sealed sources.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.0

Comment on density: Density refers to sources on bases only, when they have been stripped of all extraneous materials, which are disposed of as non-active material. Redundant sources will then be encapsulated for disposal as LLW.

CHEMICAL COMPOSITION

General description and components (%wt): Plastic bases for sources are mainly PVC. Metal bases mainly Stainless Steel. Plastic (60%), Paper (30%), Metal (10%).

Chemical state: Neutral

Sheet metal proportion / thickness: -

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	~ 10.0	-	
Other ferrous metals.....	= 0	-	
Iron.....		-	
Aluminium.....	= 0	-	
Beryllium.....	NE	-	
Cobalt.....		-	
Copper.....	= 0	-	
Lead.....	NE	-	
Magnox/Magnesium.....	= 0	-	
Nickel.....		-	
Titanium.....		-	
Uranium.....	NE	-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	NE	-	
Other metals.....	NE	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	= 30.0	-	
Paper, cotton.....	= 30.0	-	
Wood.....	= 0	-	
Halogenated plastics.....	~ 60.0	PVC	
Total non-halogenated plastics.....	NE	-	
Condensation polymers.....	NE	-	
Others.....	NE	-	
Organic ion exchange materials.....	NE	-	
Total rubber.....	NE	-	
Halogenated rubber.....	NE	-	
Non-halogenated rubber.....	NE	-	
Hydrocarbons.....		-	
Oil or grease.....		-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....	NE	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	NE	-	
Inorganic sludges and flocs.....	= 0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	= 0	-	
Cementitious material.....	~ 0	-	
Sand.....		-	
Glass/Ceramics.....	= 0	-	
Graphite.....	= 0	-	
Desiccants/Catalysts.....		-	
Asbestos.....	= 0	-	
Non/low friable.....		-	
Moderately friable.....		-	
Highly friable.....		-	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....		-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

No		
	(%wt)	Type(s) and comment
EDTA.....	= 0	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....	108	-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		100.0
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None		

Comments on planned treatments:

Sources will be stripped of all extraneous material and encapsulated in grout in "paint-tin" type containers. The majority of sources are LLW but the possibility remains that some may be ILW and have to be treated as such. This is under review.

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	1/2 Height IP-2 Disposal/Re-usable ISO (TC01/TC02)	100.0	15.5	18.3	1	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -

Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0	2.4	
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Redundant sealed sources used for a variety of purposes around the power station site.

Uncertainty: Data taken from site source register and decayed to common stock reference date/start date of first arising.

Measurement of radioactivities: Data on specific activities is obtained from site records.

Chemical form of radionuclides:

H-3: The chemical form of the tritium content has not been determined.

C-14: The chemical form of the carbon content has not been determined.

Cl-36: -

Se-79: Selenium is not present.

Tc-99: Technetium is not present.

I-129: -

Ra: The chemical form of the radium content has not been determined.

Th: The chemical form of the thorium content has not been determined.

U: The chemical form of uranium has not been determined.

Np: Neptunium is not present.

Pu: The chemical form of the plutonium content has not been determined.

WASTE STREAM		9D923		Redundant Sealed Sources					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	4.86E-04	B B 2	1.07E-04	B B 2	Gd 153		8		8
Be 10		8		8	Ho 163		8		8
C 14	1.59E-03	B B 2	1.08E-05	B B 2	Ho 166m		8		8
Na 22		8		8	Tm 170		8		8
Al 26		8		8	Tm 171		8		8
Cl 36	1.38E-05	B B 2	7.54E-06	B B 2	Lu 174		8		8
Ar 39		8		8	Lu 176		8		8
Ar 42		8		8	Hf 178n		8		8
K 40		8		8	Hf 182		8		8
Ca 41		8		8	Pt 193		8		8
Mn 53		8		8	Tl 204		8		8
Mn 54		8		8	Pb 205		8		8
Fe 55		8	1.26E-08	B B 2	Pb 210		8		8
Co 60		8	1.86E-05	B B 2	Bi 208		8		8
Ni 59		8		8	Bi 210m		8		8
Ni 63		8		8	Po 210		8		8
Zn 65		8		8	Ra 223	7.75E-09	B B 2		8
Se 79		8		8	Ra 225		8		8
Kr 81		8		8	Ra 226		8		8
Kr 85		8		8	Ra 228		8		8
Rb 87		8		8	Ac 227	8.38E-09	B B 2		8
Sr 90	5.94E-04	B B 2	1.93E-02	B B 2	Th 227	7.87E-09	B B 2		8
Zr 93		8		8	Th 228		8		8
Nb 91		8		8	Th 229		8		8
Nb 92		8		8	Th 230		8		8
Nb 93m		8		8	Th 232		8		8
Nb 94		8		8	Th 234		8		8
Mo 93		8		8	Pa 231	1.81E-07	B B 2		8
Tc 97		8		8	Pa 233		8		8
Tc 99		8		8	U 232		8		8
Ru 106		8		8	U 233		8		8
Pd 107		8		8	U 234		8		8
Ag 108m		8		8	U 235	2.84E-03	B B 2		8
Ag 110m		8		8	U 236		8		8
Cd 109		8		8	U 238		8		8
Cd 113m		8		8	Np 237		8		8
Sn 119m		8		8	Pu 236		8		8
Sn 121m		8		8	Pu 238		8		8
Sn 123		8		8	Pu 239		8		8
Sn 126		8		8	Pu 240		8		8
Sb 125		8		8	Pu 241		8		8
Sb 126		8		8	Pu 242		8		8
Te 125m		8		8	Am 241	2.33E-06	B B 2	2.76E-06	B B 2
Te 127m		8		8	Am 242m		8		8
I 129		8		8	Am 243		8		8
Cs 134		8		8	Cm 242		8		8
Cs 135		8		8	Cm 243		8		8
Cs 137	7.14E-04	B B 2	2.93E-03	B B 2	Cm 244		8		8
Ba 133		8	2.21E-04	B B 2	Cm 245		8		8
La 137		8		8	Cm 246		8		8
La 138		8		8	Cm 248		8		8
Ce 144		8		8	Cf 249		8		8
Pm 145		8		8	Cf 250		8		8
Pm 147		8		8	Cf 251		8		8
Sm 147		8		8	Cf 252		8		8
Sm 151		8		8	Unsp a				
Eu 152		8		8	Unsp b/g				
Eu 154		8		8	Total a	2.84E-03	*	2.76E-06	*
Eu 155		8	4.37E-06	B B 2	Total b/g	3.40E-03	*	2.26E-02	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides