

WASTE STREAM	9F33	Ion Siv Unit Filters
--------------	------	----------------------

SITE Sizewell A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 0.4		
Future arisings:				
Total future arisings:		0.0		
Total waste volume:		0.4		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: Based on the latest data each filter is assessed at 0.054m³, with a density of 0.486te/m³. Therefore there are 7 spent filters in stock (7x0.054m³ = 0.378m³)

Uncertainty factors on volumes:

Stock (upper):	x 1.10	Arisings (upper):	x -
Stock (lower):	x 0.90	Arisings (lower):	x -

WASTE SOURCE Filtration of cooling pond water.

PHYSICAL CHARACTERISTICS

General description: Spent filters that form part of the submersible caesium removal unit. The size of the filters will not influence the choice of treatment process or disposal container.

Changes since waste generated: -

Bulk density (t/m³): ~ 0.49

Comment on density: -

CHEMICAL COMPOSITION

General description and components (%wt): The waste is spent pre and post filters, which are composed principally of stainless steel supports with stainless steel filter media and some organic materials. Filters will typically hold a minimal volume of sludge. Stainless steel (~92%), sludge (<8%) and EPDM seal material (<1%). (EPDM is ethylene diene terpolymer).

Chemical state: Neutral

Sheet metal proportion / thickness: -

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	~ 92.0	-	
Other ferrous metals.....	NE	-	
Iron.....		-	
Aluminium.....	NE	-	
Beryllium.....	TR	-	
Cobalt.....		-	
Copper.....	NE	-	
Lead.....	NE	-	
Magnox/Magnesium.....	NE	-	
Nickel.....		-	
Titanium.....		-	
Uranium.....		-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	NE	-	
Other metals.....		-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	= 0	-	
Paper, cotton.....	= 0	-	
Wood.....	= 0	-	
Halogenated plastics.....	= 0	-	
Total non-halogenated plastics.....	= 0	-	
Condensation polymers.....	= 0	-	
Others.....	= 0	-	
Organic ion exchange materials.....	= 0	-	
Total rubber.....	< 1.0	-	
Halogenated rubber.....	= 0	-	
Non-halogenated rubber.....	< 1.0	EPDM seal material	
Hydrocarbons.....		-	
Oil or grease.....	-	-	
Fuel.....	-	-	
Asphalt/Tarmac (cont.coal tar).....	-	-	
Asphalt/Tarmac (no coal tar).....	-	-	
Bitumen.....	-	-	
Others.....	-	-	
Other organics.....	NE	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	
Inorganic sludges and flocs.....	~ 8.0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	= 0	-	
Cementitious material.....	= 0	-	
Sand.....		-	
Glass/Ceramics.....	= 0	-	
Graphite.....	= 0	-	
Desiccants/Catalysts.....		-	
Asbestos.....	= 0	-	
Non/low friable.....	-	-	
Moderately friable.....	-	-	
Highly friable.....	-	-	
Free aqueous liquids.....	NE	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	-	-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....	-	-
Soluble solids as bulk chemical compounds.....	-	-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

Not yet determined		
	(%wt)	Type(s) and comment
EDTA.....	NE	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None	On-site	100.0

Comments on planned treatments:

-

Conditioning method:

It is possible that waste filters will be supercompacted prior to drying into DCICs The waste is not expected to be encapsulated for disposal. The waste will be dried for passivation and possibly super-compacted to reduce volume in DCIC.

Conditioning plants:

Plant Name	Location
SZA AVDS	Sizewell A

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	3 m³ RS box	100.0	2.5	2.5	1	-

Range in container waste loading: -

Other information on packaging and conditioning: The DCIC material is expected to be ductile cast iron.

Conditioned density (t/m³): ~ 0.49

Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	100.0		
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Contamination sludge. Contamination by fission products, actinides and activation products.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are those provided by radiochemical analysis.

Measurement of radioactivities: Specific activity has been calculated for each individual filter and average across the entire inventory to identify the ILW route.

Chemical form of radionuclides:

H-3: Any tritium is likely to be present as water.
C-14: The carbon 14 content is insignificant.
Cl-36: The chlorine 36 content is insignificant.
Se-79: The selenium content is insignificant.
Tc-99: The technetium content is insignificant.
I-129: -
Ra: The radium isotope content is insignificant.
Th: The thorium isotope content is insignificant.
U: The uranium isotope content is insignificant.
Np: The neptunium isotope content is insignificant.
Pu: The chemical form of plutonium isotopes may be plutonium oxides.

WASTE STREAM		9F33		Ion Siv Unit Filters					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	1.48E-04	C C 1			Gd 153		8		
Be 10					Ho 163		8		
C 14	5.01E-05	C C 1			Ho 166m		8		
Na 22					Tm 170		8		
Al 26					Tm 171		8		
Cl 36					Lu 174		8		
Ar 39					Lu 176		8		
Ar 42					Hf 178n				
K 40					Hf 182		8		
Ca 41					Pt 193		8		
Mn 53					Tl 204		8		
Mn 54					Pb 205		8		
Fe 55	6.36E-06	C C 1			Pb 210		8		
Co 60	1.34E-05	C C 1			Bi 208		8		
Ni 59					Bi 210m		8		
Ni 63	6.12E-05	C C 1			Po 210		8		
Zn 65					Ra 223		8		
Se 79					Ra 225		8		
Kr 81					Ra 226		8		
Kr 85					Ra 228		8		
Rb 87					Ac 227		8		
Sr 90	2.01E-02	C C 1			Th 227		8		
Zr 93					Th 228		8		
Nb 91					Th 229		8		
Nb 92					Th 230		8		
Nb 93m					Th 232		8		
Nb 94					Th 234		8		
Mo 93					Pa 231		8		
Tc 97					Pa 233		8		
Tc 99					U 232		8		
Ru 106					U 233		8		
Pd 107					U 234	3.34E-09	C C 1		
Ag 108m					U 235		8		
Ag 110m					U 236		8		
Cd 109					U 238		8		
Cd 113m					Np 237		8		
Sn 119m					Pu 236		8		
Sn 121m					Pu 238	1.27E-04	C C 1		
Sn 123					Pu 239	1.25E-04	C C 1		
Sn 126					Pu 240	1.25E-04	C C 1		
Sb 125					Pu 241	3.66E-03	C C 1		
Sb 126					Pu 242		8		
Te 125m					Am 241	2.27E-04	C C 1		
Te 127m					Am 242m		8		
I 129					Am 243		8		
Cs 134	1.23E-05	C C 1			Cm 242		8		
Cs 135					Cm 243	1.77E-06	C C 1		
Cs 137	3.51E-02	C C 1			Cm 244	1.54E-06	C C 1		
Ba 133					Cm 245		8		
La 137					Cm 246		8		
La 138					Cm 248		8		
Ce 144					Cf 249		8		
Pm 145					Cf 250		8		
Pm 147	4.75E-06	C C 1			Cf 251		8		
Sm 147					Cf 252		8		
Sm 151	1.93E-05	C C 1			Unsp a		8		
Eu 152					Unsp b/g		8		
Eu 154	9.30E-06	C C 1			Total a	6.07E-04	*	0	*
Eu 155	1.14E-06	C C 1			Total b/g	5.92E-02	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides