

WASTE STREAM	9G77	Concrete from Base of Magnox Debris North Vault
--------------	------	---

SITE Trawsfynydd

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	0		
Future arisings:	1.4.2025 - 31.3.2026	7.7		
Total future arisings:		7.7		
Total waste volume:		7.7		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: Waste will arise when the Vaults have been emptied.

Uncertainty factors on volumes:

Stock (upper):	x -	Arisings (upper):	x 1.20
Stock (lower):	x -	Arisings (lower):	x 0.80

WASTE SOURCE The waste will consist of porous concrete that will be broken out of the base of the North FED cells.

PHYSICAL CHARACTERISTICS

General description: Porous concrete which formed the base of the FED (Fuel Element Debris) Cells which had therefore been in contact with dust and residual contaminated pond water which will have penetrated the concrete carrying dissolved and particulate contamination. There are no large items.

Changes since waste generated: -

Bulk density (t/m³): = 1.5

Comment on density: The density is as the concrete is expected to broken out of the cells

CHEMICAL COMPOSITION

General description and components (%wt): Concrete 100%

Chemical state: Alkali

Sheet metal proportion / thickness: There is no sheet metal or bulk metal in this waste stream.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	0	-	
Other ferrous metals.....	0	-	
Iron.....		-	
Aluminium.....	0	-	
Beryllium.....		-	
Cobalt.....		-	
Copper.....	0	-	
Lead.....	0	-	
Magnox/Magnesium.....	0	-	
Nickel.....		-	
Titanium.....		-	
Uranium.....		-	
Zinc.....	0	-	
Zircaloy/Zirconium.....	0	-	
Other metals.....	0	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0	-	
Paper, cotton.....	0	-	
Wood.....	0	-	
Halogenated plastics.....	0	-	
Total non-halogenated plastics.....	0	-	
Condensation polymers.....	0	-	
Others.....	0	-	
Organic ion exchange materials.....	0	-	
Total rubber.....	0	-	
Halogenated rubber.....	0	-	
Non-halogenated rubber.....	0	-	
Hydrocarbons.....		-	
Oil or grease.....		-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....	0	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	0	-	
Inorganic sludges and flocs.....	0	-	
Soil.....	0	-	
Brick/Stone/Rubble.....	0	-	
Cementitious material.....	100.0	-	
Sand.....		-	
Glass/Ceramics.....	0	-	
Graphite.....	0	-	
Desiccants/Catalysts.....		-	
Asbestos.....	0	-	
Non/low friable.....		-	
Moderately friable.....		-	
Highly friable.....		-	
Free aqueous liquids.....	0	-	
Free non-aqueous liquids.....	0	-	
Powder/Ash.....	0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	0	-
Chloride.....	0	-
Iodide.....	0	-
Cyanide.....	0	-
Carbonate.....	0	-
Nitrate.....	0	-
Nitrite.....	0	-
Phosphate.....	0	-
Sulphate.....	0	-
Sulphide.....	0	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	0	-
Low flash point liquids.....	0	-
Explosive materials.....	0	-
Phosphorus.....	0	-
Hydrides.....	0	-
Biological etc. materials.....	0	-
Biodegradable materials.....	0	-
Putrescible wastes.....	0	-
Non-putrescible wastes.....		-
Corrosive materials.....	0	-
Pyrophoric materials.....	0	-
Generating toxic gases.....	0	-
Reacting with water.....	0	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

No		
	(%wt)	Type(s) and comment
EDTA.....	0	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None	On-site	100.0

Comments on planned treatments:

-

Conditioning method:

Waste will be loaded into 90 litre drums. An estimated 8 drums will be placed into each 3m3 box.

Conditioning plants:

Plant Name	Location
TRW Grout Plant	Trawsfynydd

Likely conditioning matrix:

Unknown

Further information on the conditioning matrix:

The encapsulation matrix will be 3:1 BFS/OPC

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	3 m³ box (side lifting)	100.0	0.70	2.9	11	-

Range in container waste loading: No significant variability expected.

Other information on packaging and conditioning: -

Conditioned density (t/m³): ~ 1.9

Conditioned density comment: 1.9 In the range 1.85 - 1.95

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	100.0		
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: The source of the activity is particulate/dissolved activity within pond water associated with fuel element debris which has percolated through the concrete during the lifetime of the plant. Fission products and actinides are expected to be the main contaminants, however, some activation products may be present due to the nimonics within the FED.

Uncertainty: -

Measurement of radioactivities: -

Chemical form of radionuclides:

- H-3: Not yet determined
- C-14: Not yet determined
- Cl-36: -
- Se-79: Not yet determined
- Tc-99: Not yet determined
- I-129: -
- Ra: Not yet determined
- Th: Not yet determined
- U: Not yet determined
- Np: Not yet determined
- Pu: Not yet determined

WASTE STREAM		9G77		Concrete from Base of Magnox Debris North Vault					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14				8	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36				8	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60				8	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63				8	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				8	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Unsp a				
Eu 152				8	Unsp b/g				
Eu 154				8	Total a	0	*	0	*
Eu 155				8	Total b/g	0	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides