

WASTE STREAM	9H328	Thermal Insulation (Asbestos) LLW
--------------	-------	-----------------------------------

SITE Wyifa

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025			
Future arisings:	1.4.2060 - 31.3.2079			
Total future arisings:	7.2			
Total waste volume:	7.2			

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: For inventory purposes waste arisings are assumed to occur at a uniform rate over 20 years.

Additional information on quantities: Reactor Dismantling and Site Clearance is assumed to commence in 2060 and last for 20 years. The volumes have been calculated for 45 years after reactor shutdown i.e. 2060. The volume of secondary waste arising from the containment structure, tools and protective clothing currently assumed to be used during the safe removal of the ACM has not been estimated at this stage due to the uncertainties associated with the actual process.

Uncertainty factors on volumes:

Stock (upper):	x -	Arisings (upper):	x 1.20
Stock (lower):	x -	Arisings (lower):	x 0.80

WASTE SOURCE Thermal insulation materials from active plant dismantling. Pre-stressed vessel assumed to contain ACM within the gas safety relief valve penetration headers. Limited information exists for unequivocal identification of insulation materials although as-built drawings and remote inspection drawings were examined.

PHYSICAL CHARACTERISTICS

General description: Thermal insulation (100%) from the ACM insulation sleeve associated with the gas safety relief valve. This sleeve is encased by shielding concrete and mechanical end plates making access difficult.

Changes since waste generated: -

Bulk density (t/m³): = 1.0

Comment on density: The volume stated is of the waste in situ, i.e. before removal. When the waste is removed, some bulking may occur (depending on the method of removal), which may impact on the bulk density.

CHEMICAL COMPOSITION

General description and components (%wt): Insulation materials (100%) arising from the ACM insulation sleeve associated with the gas safety relief valve.

Chemical state: Neutral

Sheet metal proportion / thickness: -

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	-	-	-
Other ferrous metals.....	-	-	-
Iron.....	-	-	-
Aluminium.....	-	-	-
Beryllium.....	-	-	-
Cobalt.....	-	-	-
Copper.....	-	-	-
Lead.....	-	-	-
Magnox/Magnesium.....	-	-	-
Nickel.....	-	-	-
Titanium.....	-	-	-
Uranium.....	-	-	-
Zinc.....	-	-	-
Zircaloy/Zirconium.....	-	-	-
Other metals.....	-	-	-

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulotics.....	0	-	-
Paper, cotton.....	-	-	-
Wood.....	-	-	-
Halogenated plastics.....	-	-	-
Total non-halogenated plastics.....	0	-	-
Condensation polymers.....	-	-	-
Others.....	-	-	-
Organic ion exchange materials.....	-	-	-
Total rubber.....	0	-	-
Halogenated rubber.....	-	-	-
Non-halogenated rubber.....	-	-	-
Hydrocarbons.....	-	-	-
Oil or grease.....	-	-	-
Fuel.....	-	-	-
Asphalt/Tarmac (cont.coal tar).....	-	-	-
Asphalt/Tarmac (no coal tar).....	-	-	-
Bitumen.....	-	-	-
Others.....	-	-	-
Other organics.....	-	-	-

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	-	-	-
Inorganic sludges and flocs.....	-	-	-
Soil.....	-	-	-
Brick/Stone/Rubble.....	-	-	-
Cementitious material.....	-	-	-
Sand.....	-	-	-
Glass/Ceramics.....	-	-	-
Graphite.....	-	-	-
Desiccants/Catalysts.....	-	-	-
Asbestos.....	= 100.0	-	-
Non/low friable.....	-	-	-
Moderately friable.....	-	-	-
Highly friable.....	= 100.0	Insulation materials (100%) arising from the ACM insulation sleeve associated with the gas safety relief valve.	100.0
Free aqueous liquids.....	-	-	-
Free non-aqueous liquids.....	-	-	-
Powder/Ash.....	-	-	-

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	-	-
Chloride.....	-	-
Iodide.....	-	-
Cyanide.....	-	-
Carbonate.....	-	-
Nitrate.....	-	-
Nitrite.....	-	-
Phosphate.....	-	-
Sulphate.....	-	-
Sulphide.....	-	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	0	-
Low flash point liquids.....		-
Explosive materials.....		-
Phosphorus.....		-
Hydrides.....		-
Biological etc. materials.....		-
Biodegradable materials.....		-
Putrescible wastes.....		-
Non-putrescible wastes.....		-
Corrosive materials.....		-
Pyrophoric materials.....		-
Generating toxic gases.....		-
Reacting with water.....		-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

No		
	(%wt)	Type(s) and comment
EDTA.....		-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None		= 100.0

Comments on planned treatments:

100% expected to be consigned to a Landfill Facility.

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:

Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
-	-	-	-	-	-

Range in container waste loading:

-

Other information on packaging and conditioning:

-

Conditioned density (t/m³):

-

Conditioned density comment:

-

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)			
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			
	= 100.0	1.0	2060

Classification codes for waste expected to be consigned to a landfill facility:

17 06 01*, 17 06 03*, 17 06 04

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Radionuclide activities have not been estimated but are expected to be well below the limits for LLW.

Uncertainty: -

Measurement of radioactivities: -

Chemical form of radionuclides: H-3: The quantities present are expected to be insignificant.
C-14: The quantities present are expected to be insignificant.
Cl-36: The quantities present are expected to be insignificant.
Se-79: The quantities present are expected to be insignificant.
Tc-99: The quantities present are expected to be insignificant.
I-129: The quantities present are expected to be insignificant.
Ra: The quantities present are expected to be insignificant.
Th: The quantities present are expected to be insignificant.
U: The quantities present are expected to be insignificant.
Np: The quantities present are expected to be insignificant.
Pu: The quantities present are expected to be insignificant.

WASTE STREAM 9H328 Thermal Insulation (Asbestos) LLW									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14				8	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36				8	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Ti 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60				8	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63				8	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				8	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Unsp a				
Eu 152				8	Unsp b/g				
Eu 154				8	Total a	0	*	0	*
Eu 155				8	Total b/g	0	*	0	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides