

WASTE STREAM	9J952	Redundant Sealed Sources
--------------	-------	--------------------------

SITE Hunterston A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 0		
Future arisings:	1.4.2034 - 31.3.2035	< 0.1		
Total future arisings:		< 0.1		
Total waste volume:		< 0.1		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: An estimate has been made of waste volume using an assumed source dimension of 10cm x 10cm x 2cm multiplied by the quantity.
Waste arising volume has been estimated from the site source register - total of 103 sources multiplied by the standard volume assumption above.

Uncertainty factors on volumes: Stock (upper): x - Arisings (upper): x 1.20
Stock (lower): x - Arisings (lower): x 0.80

WASTE SOURCE Redundant HP instrumentation/BCD/gamma alarm sources.

PHYSICAL CHARACTERISTICS

General description: Various redundant sealed sources.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.0

Comment on density: Density refers to sources on bases only, when they have been stripped of all extraneous materials, which are disposed of as non-active material. Redundant sources will then be encapsulated for disposal as LLW.

CHEMICAL COMPOSITION

General description and components (%wt): Plastic bases for sources are mainly PVC. Metal bases mainly Stainless Steel. Plastic (60%), Paper (30%), Metal (10%).

Chemical state: Neutral

Sheet metal proportion / thickness: Small source capsules and thin mild steel.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	~ 10.0	-	
Other ferrous metals.....	0	-	
Iron.....	0	-	
Aluminium.....	0	-	
Beryllium.....	0	-	
Cobalt.....	0	-	
Copper.....	0	-	
Lead.....	0	-	
Magnox/Magnesium.....	0	-	
Nickel.....	0	-	
Titanium.....	0	-	
Uranium.....	NE	-	
Zinc.....	0	-	
Zircaloy/Zirconium.....	0	-	
Other metals.....	0	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	= 30.0	-	
Paper, cotton.....	= 30.0	-	
Wood.....	0	-	
Halogenated plastics.....	= 60.0	-	
Total non-halogenated plastics.....	0	-	
Condensation polymers.....	0	-	
Others.....	0	-	
Organic ion exchange materials.....	0	-	
Total rubber.....	0	-	
Halogenated rubber.....	0	-	
Non-halogenated rubber.....	0	-	
Hydrocarbons.....		-	
Oil or grease.....		-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....	0	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	0	-	
Inorganic sludges and flocs.....	0	-	
Soil.....	0	-	
Brick/Stone/Rubble.....	0	-	
Cementitious material.....	0	-	
Sand.....		-	
Glass/Ceramics.....	0	-	
Graphite.....	0	-	
Desiccants/Catalysts.....		-	
Asbestos.....	0	-	
Non/low friable.....		-	
Moderately friable.....		-	
Highly friable.....		-	
Free aqueous liquids.....	0	-	
Free non-aqueous liquids.....	0	-	
Powder/Ash.....	0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	0	-
Low flash point liquids.....	0	-
Explosive materials.....	0	-
Phosphorus.....	0	-
Hydrides.....	0	-
Biological etc. materials.....	0	-
Biodegradable materials.....	0	-
Putrescible wastes.....	0	-
Non-putrescible wastes.....		-
Corrosive materials.....	0	-
Pyrophoric materials.....	0	-
Generating toxic gases.....	0	-
Reacting with water.....	0	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

-

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

No

	(%wt)	Type(s) and comment
EDTA.....	0	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....	103	-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		= 100.0
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None		

Comments on planned treatments:

Sources will be stripped of all extraneous material and encapsulated in grout in "paint-tin" type containers.

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	1/2 Height IP-2 Disposal/Re-usable ISO (TC01/TC02)	100.0	15.5	18.3	1	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -
Conditioned density comment: -**Management Routes:**

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0	2.4	2034
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Sources, mostly used for calibration of instrumentation and in smoke alarms.

Uncertainty: Future arising source activities have been taken from site source register and decayed.

Measurement of radioactivities: -

Chemical form of radionuclides:

H-3: Not present.
C-14: The chemical form of carbon in the sources has not been determined.
Cl-36: -
Se-79: Not present.
Tc-99: Not present.
I-129: -
Ra: Not present.
Th: Not present.
U: Not present.
Np: Not present.
Pu: Not present.

WASTE STREAM		9J952		Redundant Sealed Sources					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3			1.63E-04	B B 1	Gd 153				8
Be 10				8	Ho 163				8
C 14			3.41E-04	B B 1	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			4.02E-06	B B 1	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			8.75E-06	B B 1	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63				8	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			1.66E-03	B B 1	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241			3.71E-06	B B 1
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137			5.77E-04	B B 1	Cm 244				8
Ba 133			1.06E-03	B B 1	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Unsp a				8
Eu 152				8	Unsp b/g				8
Eu 154				8	Total a	0	*	3.71E-06	*
Eu 155				8	Total b/g	0	*	3.82E-03	*

Bands (Upper and Lower)

A a factor of 1.5
 B a factor of 3
 C a factor of 10
 D a factor of 100
 E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity
 * Total calculated from the 114 declared radionuclides