

WASTE STREAM	9R113	Redundant Radioactive Sources
--------------	-------	-------------------------------

SITE Berkeley

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Nuclear Restoration Services Ltd (NRS)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025			
Future arisings:	1.4.2038 - 31.3.2039			
Total future arisings:	< 0.1			
Total waste volume:	< 0.1			

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: -

Additional information on quantities: A small number of sources accounted for in future arisings maybe disposed of prior to 2035. Common volume assumption of 0.0002m³ per source (10cm x 10cm x 2cm) has been applied. Data from site source register shows 126 sources in stock and 59 forecast future arisings. Total of 185 sources.

Uncertainty factors on volumes: Stock (upper): x 1.10 Arisings (upper): x 1.10
Stock (lower): x 0.90 Arisings (lower): x 0.90

WASTE SOURCE Redundant sealed sources used for a variety of purposes around the site.

PHYSICAL CHARACTERISTICS

General description: Radioactive sources that have been used for instrument calibrations and laboratory purposes. These items are now surplus to requirements and cannot be recycled. There are no large items.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.0

Comment on density: Density refers to sources on bases only, when they have been stripped of all extraneous materials, which are disposed of as non-active material. Redundant sources will then be encapsulated for disposal as LLW.

CHEMICAL COMPOSITION

General description and components (%wt): Metal (95%), Plastic (5%).

Chemical state: Neutral

Sheet metal proportion / thickness: -

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	-	-	-
Other ferrous metals.....	-	-	-
Iron.....	-	-	-
Aluminium.....	-	-	-
Beryllium.....	-	-	-
Cobalt.....	-	-	-
Copper.....	-	-	-
Lead.....	-	-	-
Magnox/Magnesium.....	-	-	-
Nickel.....	-	-	-
Titanium.....	-	-	-
Uranium.....	-	-	-
Zinc.....	-	-	-
Zircaloy/Zirconium.....	-	-	-
Other metals.....	= 95.0	Unsure what metal type.	-

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0	-	
Paper, cotton.....		-	
Wood.....		-	
Halogenated plastics.....		-	
Total non-halogenated plastics.....	= 5.0	-	
Condensation polymers.....		-	
Others.....	= 5.0	-	
Organic ion exchange materials.....		-	
Total rubber.....	0	-	
Halogenated rubber.....		-	
Non-halogenated rubber.....		-	
Hydrocarbons.....		-	
Oil or grease.....		-	
Fuel.....		-	
Asphalt/Tarmac (cont.coal tar).....		-	
Asphalt/Tarmac (no coal tar).....		-	
Bitumen.....		-	
Others.....		-	
Other organics.....		-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....		-	
Inorganic sludges and flocs.....		-	
Soil.....		-	
Brick/Stone/Rubble.....		-	
Cementitious material.....		-	
Sand.....		-	
Glass/Ceramics.....		-	
Graphite.....		-	
Desiccants/Catalysts.....		-	
Asbestos.....	0	-	
Non/low friable.....		-	
Moderately friable.....		-	
Highly friable.....		-	
Free aqueous liquids.....	0	-	
Free non-aqueous liquids.....	0	-	
Powder/Ash.....	0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....		-
Chloride.....		-
Iodide.....		-
Cyanide.....		-
Carbonate.....		-
Nitrate.....		-
Nitrite.....		-
Phosphate.....		-
Sulphate.....		-
Sulphide.....		-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	0	-
Low flash point liquids.....	0	-
Explosive materials.....	0	-
Phosphorus.....	0	-
Hydrides.....	0	-
Biological etc. materials.....	0	-
Biodegradable materials.....	0	-
Putrescible wastes.....	0	-
Non-putrescible wastes.....		-
Corrosive materials.....	0	-
Pyrophoric materials.....	0	-
Generating toxic gases.....	0	-
Reacting with water.....	0	-
Higher activity particles.....		-
Soluble solids as bulk chemical compounds.....		-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	-
Benzene.....		-
Chlorinated solvents.....		-
Formaldehyde.....		-
Organometallics.....		-
Phenol.....		-
Styrene.....		-
Tri-butyl phosphate.....		-
Other organophosphates.....		-
Vinyl chloride.....		-
Arsenic.....		-
Barium.....		-
Boron.....		-
Boron (in Boral).....		-
Boron (non-Boral).....		-
Cadmium.....		-
Caesium.....		-
Selenium.....		-
Chromium.....		-
Molybdenum.....		-
Thallium.....		-
Tin.....		-
Vanadium.....		-
Mercury compounds.....		-
Others.....		-

Complexing agents (%wt):

No		
	(%wt)	Type(s) and comment
EDTA.....	0	-
DPTA.....		-
NTA.....		-
Polycarboxylic acids.....		-
Other organic complexants.....		-
Total complexing agents.....		-

Physical components:

	Number	Type(s) and comment
Sources.....	185	-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		= 100.0
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None		

Comments on planned treatments:

Sources will be stripped of all extraneous material and encapsulated in grout in "paint-tin" type containers. The majority of sources are LLW but the possibility remains that some may be ILW and have to be treated as such. This is under review.

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	1/2 Height IP-2 Disposal/Re-usable ISO (TC01/TC02)	100.0	15.5	18.3	1	-

Range in container waste loading: -

Other information on packaging and conditioning: -

Conditioned density (t/m³): -

Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0	= 2.4	2038
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Redundant sealed sources used for a variety of purposes around the power station site.

Uncertainty: The values quoted are indicative of the activities that might be expected. Data taken from site source register and decayed to common stock reference date/start date of first arising.

Measurement of radioactivities: Data on specific activities is obtained from site records.

Chemical form of radionuclides:

H-3: -

C-14: -

Cl-36: -

Se-79: -

Tc-99: -

I-129: -

Ra: -

Th: -

U: -

Np: -

Pu: -

WASTE STREAM 9R113 Redundant Radioactive Sources									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3		8		6	Gd 153		8		8
Be 10		8		8	Ho 163		8		8
C 14		8	1.76E-05	B B 2	Ho 166m		8		8
Na 22		8		8	Tm 170		8		8
Al 26		8		8	Tm 171		8		8
Cl 36		8	1.05E-05	B B 2	Lu 174		8		8
Ar 39		8		8	Lu 176		8		8
Ar 42		8		8	Hf 178n		8		8
K 40		8		8	Hf 182		8		8
Ca 41		8		8	Pt 193		8		8
Mn 53		8		8	Tl 204		8		8
Mn 54		8		8	Pb 205		8		8
Fe 55		8		8	Pb 210		8		8
Co 60		8	1.53E-02	B B 2	Bi 208		8		8
Ni 59		8		8	Bi 210m		8		8
Ni 63		8		8	Po 210		8		8
Zn 65		8		8	Ra 223		8		8
Se 79		8		8	Ra 225		8		8
Kr 81		8		8	Ra 226		8		6
Kr 85		8		8	Ra 228		8		8
Rb 87		8		8	Ac 227		8		8
Sr 90		8	3.36E-06	B B 2	Th 227		8		8
Zr 93		8		8	Th 228		8		8
Nb 91		8		8	Th 229		8		8
Nb 92		8		8	Th 230		8		8
Nb 93m		8		8	Th 232		8		8
Nb 94		8		8	Th 234		8		8
Mo 93		8		8	Pa 231		8		8
Tc 97		8		8	Pa 233	5.03E-06	B B 2		8
Tc 99		8		8	U 232		8		8
Ru 106		8		8	U 233		8		8
Pd 107		8		8	U 234		8		8
Ag 108m		8		8	U 235		8		8
Ag 110m		8		8	U 236		8		8
Cd 109		8		8	U 238		8		8
Cd 113m		8		8	Np 237	5.17E-06	B B 2		8
Sn 119m		8		8	Pu 236		8		8
Sn 121m		8		8	Pu 238		8		8
Sn 123		8		8	Pu 239		8	5.00E-07	B B 2
Sn 126		8		8	Pu 240		8		8
Sb 125		8		8	Pu 241		8		8
Sb 126		8		8	Pu 242		8		8
Te 125m		8		8	Am 241	3.98E+00	B B 2	4.12E-05	B B 2
Te 127m		8		8	Am 242m		8		8
I 129		8		8	Am 243		8		8
Cs 134		8	5.12E-05	B B 2	Cm 242		8		8
Cs 135		8		8	Cm 243		8		8
Cs 137		8	1.11E-01	B B 2	Cm 244		8		8
Ba 133		8		8	Cm 245		8		8
La 137		8		8	Cm 246		8		8
La 138		8		8	Cm 248		8		8
Ce 144		8		8	Cf 249		8		8
Pm 145		8		8	Cf 250		8		8
Pm 147		8		8	Cf 251		8		8
Sm 147		8		8	Cf 252		8		8
Sm 151		8		8	Unsp a				
Eu 152		8	1.89E-02	B B 2	Unsp b/g				
Eu 154		8	5.20E-04	B B 2	Total a	3.98E+00	*	4.17E-05	*
Eu 155		8		8	Total b/g	5.03E-06	*	1.46E-01	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides