

WASTE STREAM	3N13	Wet Fuel Route LLW
--------------	------	--------------------

SITE Hinkley Point B

SITE OWNER EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE CUSTODIAN EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025 = 16.5			
Future arisings:	1.4.2025 - 31.3.2026 = 7.6			
	1.4.2026 - 31.3.2027 = 7.6			
	1.4.2027 - 31.3.2028 = 7.6			
	1.4.2028 - 31.3.2029 = 7.6			
	1.4.2029 - 31.3.2030 = 7.6			
Total future arisings:	38.0			
Total waste volume:	54.5			

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Waste volumes will be variable depending on station operating conditions.

Additional information on quantities: -

Uncertainty factors on volumes: Stock (upper): x 1.25 Arisings (upper): x 1.50
Stock (lower): x 0.75 Arisings (lower): x 0.50

WASTE SOURCE The wastes included in this stream are from the the Active Effluent Treatment Plant (AETP) and Ponds areas. Solid waste arises mainly from maintenance and refurbishment work consisting of items which have been contaminated during operation. Additionally material arising from these areas may include disposable PPE, sampling material and cleaning material.

PHYSICAL CHARACTERISTICS

General description: The wastes generated in these areas are mixed wastes ranging from metal items, spent metal and paper candle filters, redundant plant items, general soft trash waste, heavy duty plastic and rubber waste.

Changes since waste generated: Free liquid: Removed as far as is practicable, and disposed via liquid effluent route. Conditioning of waste is not routinely required, however, sludge can be conditioned if the sludge contains no additional hazardous materials.

Bulk density (t/m³): ~ 0.46

Comment on density: Density based on raw volume and weight at arising as provided in WCH.

CHEMICAL COMPOSITION

General description and components (%wt): Iron (~55%), Plastics (halogenated) (~35%), Rubber (~4%), Wood (~5%), other organic (~1%)

Chemical state: Neutral

Sheet metal proportion / thickness: Drum wall thickness will be about 1mm.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	NE	-	
Other ferrous metals.....	NE	-	
Iron.....	~ 55.0	AETP defective plant stripped down metal	
Aluminium.....	NE	-	
Beryllium.....	NE	-	
Cobalt.....	NE	-	
Copper.....	NE	-	
Lead.....	NE	-	
Magnox/Magnesium.....	NE	-	
Nickel.....	NE	-	
Titanium.....	NE	-	
Uranium.....	NE	-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	NE	-	
Other metals.....	NE	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulotics.....	~ 5.0	-	
Paper, cotton.....	NE	-	
Wood.....	~ 5.0	-	
Halogenated plastics.....	~ 35.0	-	
Total non-halogenated plastics.....	NE	-	
Condensation polymers.....	NE	-	
Others.....	NE	-	
Organic ion exchange materials.....	NE	-	
Total rubber.....	~ 4.0	-	
Halogenated rubber.....	NE	-	
Non-halogenated rubber.....	NE	-	
Hydrocarbons.....	NE	-	
Oil or grease.....	NE	-	
Fuel.....	NE	-	
Asphalt/Tarmac (cont.coal tar).....	NE	-	
Asphalt/Tarmac (no coal tar).....	NE	-	
Bitumen.....	NE	-	
Others.....	NE	-	
Other organics.....	~ 1.0	sludge consisting of estuary silt plus trace oil	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	
Inorganic sludges and flocs.....	= 0	-	
Soil.....	NE	-	
Brick/Stone/Rubble.....	NE	-	
Cementitious material.....	= 0	-	
Sand.....	NE	-	
Glass/Ceramics.....	NE	-	
Graphite.....	NE	-	
Desiccants/Catalysts.....	NE	-	
Asbestos.....	= 0	-	
Non/low friable.....	-	-	
Moderately friable.....	-	-	
Highly friable.....	-	-	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	= 0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	= 0	-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....	= 0	Not expected
Soluble solids as bulk chemical compounds.....	= 0	-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	NE	-
Benzene.....	NE	-
Chlorinated solvents.....	NE	-
Formaldehyde.....	NE	-
Organometallics.....	NE	-
Phenol.....	NE	-
Styrene.....	NE	-
Tri-butyl phosphate.....	NE	-
Other organophosphates.....	NE	-
Vinyl chloride.....	NE	-
Arsenic.....	NE	-
Barium.....	NE	-
Boron.....	NE	-
Boron (in Boral).....	NE	-
Boron (non-Boral).....	NE	-
Cadmium.....	NE	-
Caesium.....	NE	-
Selenium.....	NE	-
Chromium.....	NE	-
Molybdenum.....	NE	-
Thallium.....	NE	-
Tin.....	NE	-
Vanadium.....	NE	-
Mercury compounds.....	NE	-
Others.....	NE	-

Complexing agents (%wt):

Not yet determined		
	(%wt)	Type(s) and comment
EDTA.....	NE	-
DPTA.....	NE	-
NTA.....	NE	-
Polycarboxylic acids.....	NE	-
Other organic complexants.....	NE	Not expected to be present but a trace quantity may be present on detailed analysis.
Total complexing agents.....	NE	-

Physical components:

	Number	Type(s) and comment
Sources.....	= 0	-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		
Decay storage		
Low force compaction		
Supercompaction (HFC)	Off-site	~ 5.0
Incineration	Off-site	~ 92.0
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment	Off-site	~ 3.0
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None	Off-site	

Comments on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec.

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix: -

Further information on the conditioning matrix: -

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	1/2 Height IP-2 Disposal/Re-usable ISO (TC01/TC02)	5.0	30.4	18.3	1	-

Range in container waste loading:

Other information on packaging and conditioning: Waste loading is representative of the raw waste following further planned treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment results in the same volume.

Conditioned density (t/m³): -

Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)			
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository	= 5.0		
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility	= 92.0		
Expected to be consigned to a Metal Treatment Facility	= 3.0		
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Contamination will be main source of activity with possibly some activation of certain reactor or fuel route components.

Uncertainty: Waste mapping is continuously carried out to monitor volumes of waste arising from plant areas to ensure the ongoing accuracy of our fingerprints.

Measurement of radioactivities: Hinkley Point B sampling plan is based on BEG/FORM/SHE/ENVI/017/005 Routine Fingerprint Characterisation Plan. Sludge characterisation was carried out by Inutec who produced report X0386 - The radiochemical and chemical analysis of EDF oily sludge.

Chemical form of radionuclides: H-3: Diffused into materials
C-14: As graphite particulate and incorporated into metal particles
Cl-36: Incorporated into steels
Se-79: Not expected to be significant
Tc-99: Not expected to be significant
I-129: Not expected to be significant
Ra: Not expected to be significant
Th: Not expected to be significant
U: Not assessed
Np: Not expected to be significant
Pu: Not assessed

WASTE STREAM 3N13 Wet Fuel Route LLW									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	5.65E-06	C C 1	5.65E-06	C C 1	Gd 153				
Be 10					Ho 163				
C 14	2.27E-07	C C 1	2.27E-07	C C 1	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36	2.10E-07	C C 1	2.10E-07	C C 1	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Ti 204				
Mn 54	2.64E-07	C C 1	2.64E-07	C C 1	Pb 205				
Fe 55	1.20E-05	C C 1	1.20E-05	C C 1	Pb 210				
Co 60	3.86E-06	C C 1	3.86E-06	C C 1	Bi 208				
Ni 59					Bi 210m				
Ni 63	1.17E-05	C C 1	1.17E-05	C C 1	Po 210				
Zn 65	6.95E-08	C C 1	6.95E-08	C C 1	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90	9.67E-07	C C 1	9.67E-07	C C 1	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94	3.08E-08	C C 1	3.08E-08	C C 1	Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106	4.48E-07	C C 1	4.48E-07	C C 1	U 233				
Pd 107					U 234	1.08E-08	C C 1	1.08E-08	C C 1
Ag 108m	4.47E-08	C C 1	4.47E-08	C C 1	U 235	2.63E-10	C C 1	2.63E-10	C C 1
Ag 110m	1.03E-07	C C 1	1.03E-07	C C 1	U 236	3.68E-09	C C 1	3.68E-09	C C 1
Cd 109					U 238	1.03E-08	C C 1	1.03E-08	C C 1
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238	3.50E-07	C C 1	3.50E-07	C C 1
Sn 123					Pu 239	2.07E-07	C C 1	2.07E-07	C C 1
Sn 126					Pu 240	4.49E-07	C C 1	4.49E-07	C C 1
Sb 125	1.83E-07	C C 1	1.83E-07	C C 1	Pu 241	2.30E-05	C C 1	2.30E-05	C C 1
Sb 126					Pu 242				
Te 125m					Am 241	1.36E-06	C C 1	1.36E-06	C C 1
Te 127m					Am 242m				
I 129	6.93E-12	C C 1	6.93E-12	C C 1	Am 243				
Cs 134	3.18E-07	C C 1	3.18E-07	C C 1	Cm 242	1.37E-08	C C 1	1.37E-08	C C 1
Cs 135					Cm 243	1.32E-09	C C 1	1.32E-09	C C 1
Cs 137	3.15E-05	C C 1	3.15E-05	C C 1	Cm 244	8.16E-08	C C 1	8.16E-08	C C 1
Ba 133	6.82E-08	C C 1	6.82E-08	C C 1	Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144	2.47E-07	C C 1	2.47E-07	C C 1	Cf 249				
Pm 145					Cf 250				
Pm 147	3.26E-07	C C 1	3.26E-07	C C 1	Cf 251				
Sm 147					Cf 252				
Sm 151					Unsp a				
Eu 152	1.46E-07	C C 1	1.46E-07	C C 1	Unsp b/g	5.12E-06	C C 1	5.12E-06	C C 1
Eu 154	3.51E-07	C C 1	3.51E-07	C C 1	Total a	2.49E-06	*	2.49E-06	*
Eu 155	6.42E-08	C C 1	6.42E-08	C C 1	Total b/g	9.68E-05	*	9.68E-05	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides