

WASTE STREAM	3S308	SZB Dry Store - Shield & Transfer Casks
--------------	-------	---

SITE Sizewell B

SITE OWNER EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE CUSTODIAN EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	0		
Future arisings:	1.4.2025 - 31.3.2080	= 0		
	1.4.2080 - 31.3.2085	~ 8425.3		
Total future arisings:		8425.3		
Total waste volume:		8425.3		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Redundant Shield and transfer Casks following closure of the SZB Dry store

Additional information on quantities: Outer shielding for fuel storage casks. 17 of loaded with fuel with 16 in dry store in a Hi-STORM overpack. A further 126 required. Volumes based on external dimensions of each HI-STORM (storage shielding overpack) of 5.766m x 3.6m Dia.

Uncertainty factors on volumes:

Stock (upper):	x -	Arisings (upper):	x 1.25
Stock (lower):	x -	Arisings (lower):	x 0.75

WASTE SOURCE Activation by spent irradiated fuel.

PHYSICAL CHARACTERISTICS

General description: Large composite shield casks clad in stainless steel.

Changes since waste generated: -

Bulk density (t/m³): ~ 3.2

Comment on density: Density based on cask envelope volumes.

CHEMICAL COMPOSITION

General description and components (%wt): Multilayered shielding casks.

Chemical state: Neutral

Sheet metal proportion / thickness: Stainless steel as large cylinders typically 12 -25mm thick.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	~ 20.0	-	
Other ferrous metals.....	~ 32.0	Iron as Magnetite in Concrete matrix.	
Iron.....		-	
Aluminium.....	~ 1.0	-	
Beryllium.....		-	
Cobalt.....		-	
Copper.....		-	
Lead.....	~ 17.0	-	
Magnox/Magnesium.....		-	
Nickel.....		-	
Titanium.....		-	
Uranium.....		-	
Zinc.....		-	
Zircaloy/Zirconium.....		-	
Other metals.....	~ 1.0	Boron.	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total celluloseics.....	-	-	-
Paper, cotton.....	-	-	-
Wood.....	-	-	-
Halogenated plastics.....	-	-	-
Total non-halogenated plastics.....	-	-	-
Condensation polymers.....	-	-	-
Others.....	-	-	-
Organic ion exchange materials.....	-	-	-
Total rubber.....	-	-	-
Halogenated rubber.....	-	-	-
Non-halogenated rubber.....	-	-	-
Hydrocarbons.....	-	-	-
Oil or grease.....	-	-	-
Fuel.....	-	-	-
Asphalt/Tarmac (cont.coal tar).....	-	-	-
Asphalt/Tarmac (no coal tar).....	-	-	-
Bitumen.....	-	-	-
Others.....	-	-	-
Other organics.....	-	-	-

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	-	-	-
Inorganic sludges and flocs.....	-	-	-
Soil.....	-	-	-
Brick/Stone/Rubble.....	-	-	-
Cementitious material.....	~ 28.0	-	-
Sand.....	-	-	-
Glass/Ceramics.....	-	-	-
Graphite.....	~ 1.0	As part of neutron shield composite.	-
Desiccants/Catalysts.....	-	-	-
Asbestos.....	-	-	-
Non/low friable.....	-	-	-
Moderately friable.....	-	-	-
Highly friable.....	-	-	-
Free aqueous liquids.....	-	-	-
Free non-aqueous liquids.....	-	-	-
Powder/Ash.....	-	-	-

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	= 0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	= 0	-
Corrosive materials.....	P	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....	= 0	Not expected.
Soluble solids as bulk chemical compounds.....	= 0	-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	NE	-
Benzene.....	NE	-
Chlorinated solvents.....	NE	-
Formaldehyde.....	NE	-
Organometallics.....	NE	-
Phenol.....	NE	-
Styrene.....	NE	-
Tri-butyl phosphate.....	NE	-
Other organophosphates.....	NE	-
Vinyl chloride.....	NE	-
Arsenic.....	NE	-
Barium.....	NE	-
Boron.....	NE	-
Boron (in Boral).....	NE	-
Boron (non-Boral).....	NE	-
Cadmium.....	NE	-
Caesium.....	NE	-
Selenium.....	NE	-
Chromium.....	NE	-
Molybdenum.....	NE	-
Thallium.....	NE	-
Tin.....	NE	-
Vanadium.....	NE	-
Mercury compounds.....	NE	-
Others.....	NE	-

Complexing agents (%wt):

Not yet determined		
	(%wt)	Type(s) and comment
EDTA.....	NE	-
DPTA.....	NE	-
NTA.....	NE	-
Polycarboxylic acids.....	NE	-
Other organic complexants.....	NE	May exist as trace decontaminants.
Total complexing agents.....	NE	-

Physical components:

	Number	Type(s) and comment
Sources.....	= 0	-
Electronic & Electrical Equipment (EEE)		
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction	On-site	= 80.0
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation	Off-site On-site	= 10.0 ~ 10.0
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None		

Comments on planned treatments:

Potentially suitable for metal recovery and recycling (lead).

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
	-	-	-	-	-	-

Range in container waste loading:

Other information on packaging and conditioning: Waste consists of large casks of composite material.

Conditioned density (t/m³): -
Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0		
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: Yes

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
LLWR	Unknown	100.0	AMBER	Activation expected to be low, Recycling of materials expected to be possible.

RADIOACTIVITY

Source: Neutron activation

Uncertainty: Based on pessimistic neutron flux calculations over 40 year storage life.

Measurement of radioactivities: -

Chemical form of radionuclides:

- H-3: -
- C-14: -
- Cl-36: -
- Se-79: -
- Tc-99: -
- I-129: -
- Ra: -
- Th: -
- U: -
- Np: -
- Pu: -

WASTE STREAM		3S308		SZB Dry Store - Shield & Transfer Casks					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3				8	Gd 153				
Be 10					Ho 163				
C 14				8	Ho 166m				
Na 22				4	Tm 170				
Al 26				4	Tm 171				
Cl 36				8	Lu 174				
Ar 39			8.38E-08	C C 3	Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41			6.77E-09	C C 3	Pt 193				
Mn 53				8	Tl 204				
Mn 54			3.35E-06	C C 3	Pb 205				
Fe 55			6.72E-05	C C 3	Pb 210				
Co 60				8	Bi 208				
Ni 59				8	Bi 210m				
Ni 63				8	Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125					Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241				
Te 127m					Am 242m				
I 129					Am 243				
Cs 134				8	Cm 242				
Cs 135					Cm 243				
Cs 137				8	Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Unsp a				
Eu 152					Unsp b/g				
Eu 154					Total a	0	*	0	*
Eu 155					Total b/g	0	*	7.07E-05	*

Bands (Upper and Lower)

A a factor of 1.5
 B a factor of 3
 C a factor of 10
 D a factor of 100
 E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity
 * Total calculated from the 114 declared radionuclides