

WASTE STREAM	4B13	General Reactor LLW
--------------	------	---------------------

SITE Hunterston B

SITE OWNER EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE CUSTODIAN EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025	= 48.2		
Future arisings:	1.4.2025 - 31.3.2026	= 24.0		
	1.4.2026 - 31.3.2027	= 24.0		
	1.4.2027 - 31.3.2028	= 24.0		
	1.4.2028 - 31.3.2029	= 24.0		
	1.4.2029 - 31.3.2030	= 24.0		
	1.4.2030 - 31.3.2031	= 24.0		
Total future arisings:		144.0		
Total waste volume:		192.2		

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Future arisings are aligned to volume quoted in WCH. This will be variable and dependent on operating and decommissioning activities.

Additional information on quantities: -

Uncertainty factors on volumes: Stock (upper): x 1.25 Arisings (upper): x 1.50
Stock (lower): x 0.75 Arisings (lower): x 0.50

WASTE SOURCE Waste arises from maintenance and refurbishment from the Reactor Waste Steam.

PHYSICAL CHARACTERISTICS

General description: Generally wastes are mixed materials such as metal items, spent filters (e.g. pre-filters, respirator filters, ceramic filters), redundant plant items, cabling, soft waste (e.g. broken/damaged clothing, paper cardboard, cloth etc), floor coverings, heavy duty plastic and rubber waste. Concrete/rubble, wood, bitumen, ceramics, charcoal from ion absorption filters, glass and lagging could also be generated.

Changes since waste generated: The site does undertake volume reduction by low force compaction and shredding, this is principally to incinerable waste. Any free liquids present will be removed as far as practicable during the sorting process.

Bulk density (t/m³): ~ 0.52

Comment on density: Density based on raw volume and weight at arising as provided in WCH.

CHEMICAL COMPOSITION

General description and components (%wt): Stainless steel (11%), Mild Steel (30%), Aluminium (1%), Copper (4%), Chromium metal/alloy (1%)
Concrete/Rubble (~1%), Biodegradable-non putrescibles (~14%), Plastics/Rubber (~25%), Wood (~3%),
Oil/grease (7%), Asbestos (1%), Glass/ceramics (1%) Bitumen (0.1%), Powders/ash (~1%)

Chemical state: Neutral

Sheet metal proportion / thickness: This waste stream is variable and may contain some bulk items which will be volume reduced by cutting, proportion of bulk items unknown.

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	~ 11.0	metallic plant items/equipment	
Other ferrous metals.....	~ 31.0	Mild steel-metallic plant items/equipment and drums	
Iron.....	NE	-	
Aluminium.....	~ 1.0	metallic plant items/equipment	
Beryllium.....	NE	-	
Cobalt.....	NE	-	
Copper.....	~ 3.2	e.g.cabelling and piping	
Lead.....	NE	-	
Magnox/Magnesium.....	NE	-	
Nickel.....	NE	-	
Titanium.....	NE	-	
Uranium.....	NE	-	
Zinc.....	NE	-	
Zircaloy/Zirconium.....	NE	-	
Other metals.....	~ 1.0	Chromium metal/alloy	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulotics.....	~ 17.0	-	
Paper, cotton.....	~ 14.0	-	
Wood.....	~ 3.0	-	
Halogenated plastics.....	~ 15.0	e.g. PPE, contamination management	
Total non-halogenated plastics.....	~ 6.0	e.g. PPE, contamination management	
Condensation polymers.....	NE	-	
Others.....	NE	-	
Organic ion exchange materials.....	NE	-	
Total rubber.....	~ 4.0	-	
Halogenated rubber.....	NE	-	
Non-halogenated rubber.....	-	-	
Hydrocarbons.....	~ 6.7	-	
Oil or grease.....	~ 6.6	Drummed incinerable liquids, or oil/grease absorbed on cloth/rags	
Fuel.....	NE	-	
Asphalt/Tarmac (cont.coal tar).....	NE	-	
Asphalt/Tarmac (no coal tar).....	NE	-	
Bitumen.....	~ 0.10	Solid	
Others.....	NE	-	
Other organics.....	NE	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	
Inorganic sludges and flocs.....	= 0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	NE	-	
Cementitious material.....	~ 1.0	Concrete/rubble	
Sand.....	= 0	-	
Glass/Ceramics.....	~ 1.2	-	
Graphite.....	= 0	-	
Desiccants/Catalysts.....	= 0	-	
Asbestos.....	~ 1.1	-	
Non/low friable.....	-	-	
Moderately friable.....	-	-	
Highly friable.....	~ 1.1	Could be highly friable asbestos or MMF	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	~ 1.0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	= 0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	= 14.0	-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....	= 0	Not expected
Soluble solids as bulk chemical compounds.....	= 0	-

Hazardous substances / non hazardous pollutants:

-

	(%wt)	Type(s) and comment
Acrylamide.....	NE	-
Benzene.....	NE	-
Chlorinated solvents.....	NE	-
Formaldehyde.....	NE	-
Organometallics.....	NE	-
Phenol.....	NE	-
Styrene.....	NE	-
Tri-butyl phosphate.....	NE	-
Other organophosphates.....	NE	-
Vinyl chloride.....	NE	-
Arsenic.....	NE	-
Barium.....	NE	-
Boron.....	NE	-
Boron (in Boral).....	NE	-
Boron (non-Boral).....	NE	-
Cadmium.....	NE	-
Caesium.....	NE	-
Selenium.....	NE	-
Chromium.....	NE	-
Molybdenum.....	NE	-
Thallium.....	NE	-
Tin.....	NE	-
Vanadium.....	NE	-
Mercury compounds.....	= 0	-
Others.....	NE	-

Complexing agents (%wt):

Not yet determined

	(%wt)	Type(s) and comment
EDTA.....	NE	-
DPTA.....	NE	-
NTA.....	NE	-
Polycarboxylic acids.....	NE	-
Other organic complexants.....	NE	Complexing agents are not estimated.
Total complexing agents.....	NE	-

Physical components:

	Number	Type(s) and comment
Sources.....	= 0	-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		
Decay storage		
Low force compaction		
Supercompaction (HFC)	Off-site	~ 6.0
Incineration	Off-site	~ 72.0
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment	Off-site	~ 12.0
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined		
None	Off-site	~ 10.0

Comments on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec.

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:

Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
1/2 Height IP-2 Disposal/Re-usable ISO (TC01/TC02)	16.0	30.4	18.3	2	-

Range in container waste loading:

Other information on packaging and conditioning:

Waste loading is representative of the raw waste following further planned treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment results in the same volume.

Conditioned density (t/m³):

-

Conditioned density comment:

-

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)			
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository	~ 16.0		
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility	~ 72.0		
Expected to be consigned to a Metal Treatment Facility	~ 12.0		
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source:	Contamination will be main source of activity with possibly some activation of certain reactor or fuel route components.
Uncertainty:	The total given in the WCH is pessimistic, but not considered overly conservative. The waste for this stream is operational and on-going therefore the waste is variable. Fingerprint has been based over the last three years, so there is uncertainty about future arisings.
Measurement of radioactivities:	Estimated based on arisings and data in WCH. The total activity has been estimated by applying the fingerprint for the date of arisings. For consignments this will be decayed, but the decay time will vary depending on the storage time for the waste.
Chemical form of radionuclides:	H-3: Tritiated water C-14: Activated graphite and metallic components and particulate Cl-36: Not assessed Se-79: Not expected to be significant Tc-99: Not expected to be significant I-129: Not expected to be significant Ra: Not expected to be significant Th: Not expected to be significant U: Not assessed Np: Not expected to be significant Pu: Not assessed

WASTE STREAM 4B13 General Reactor LLW									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3	1.74E-04	C C 1	1.74E-04	C C 1	Gd 153				
Be 10					Ho 163				
C 14	2.23E-06	C C 1	2.23E-06	C C 1	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36	3.68E-05	C C 1	3.68E-05	C C 1	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Ti 204				
Mn 54	2.01E-06	C C 1	2.01E-06	C C 1	Pb 205				
Fe 55	5.23E-05	C C 1	5.23E-05	C C 1	Pb 210				
Co 60	1.83E-05	C C 1	1.83E-05	C C 1	Bi 208				
Ni 59					Bi 210m				
Ni 63	9.33E-06	C C 1	9.33E-06	C C 1	Po 210				
Zn 65	1.14E-06	C C 1	1.14E-06	C C 1	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90	5.92E-07	C C 1	5.92E-07	C C 1	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94	1.94E-07	C C 1	1.94E-07	C C 1	Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106	2.04E-06	C C 1	2.04E-06	C C 1	U 233				
Pd 107					U 234	1.27E-08	C C 1	1.27E-08	C C 1
Ag 108m	2.32E-07	C C 1	2.32E-07	C C 1	U 235	2.08E-09	C C 1	2.08E-09	C C 1
Ag 110m	9.68E-07	C C 1	9.68E-07	C C 1	U 236	3.33E-08	C C 1	3.33E-08	C C 1
Cd 109					U 238	4.42E-09	C C 1	4.42E-09	C C 1
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238	1.06E-08	C C 1	1.06E-08	C C 1
Sn 123					Pu 239	1.59E-08	C C 1	1.59E-08	C C 1
Sn 126					Pu 240	3.78E-08	C C 1	3.78E-08	C C 1
Sb 125	5.56E-07	C C 1	5.56E-07	C C 1	Pu 241	1.97E-06	C C 1	1.97E-06	C C 1
Sb 126					Pu 242				
Te 125m					Am 241	2.91E-08	C C 1	2.91E-08	C C 1
Te 127m					Am 242m				
I 129	4.00E-13	C C 1	4.00E-13	C C 1	Am 243				
Cs 134	2.33E-07	C C 1	2.33E-07	C C 1	Cm 242	4.02E-08	C C 1	4.02E-08	C C 1
Cs 135					Cm 243	6.67E-10	C C 1	6.67E-10	C C 1
Cs 137	1.37E-06	C C 1	1.37E-06	C C 1	Cm 244	4.13E-08	C C 1	4.13E-08	C C 1
Ba 133	2.43E-07	C C 1	2.43E-07	C C 1	Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144	1.05E-06	C C 1	1.05E-06	C C 1	Cf 249				
Pm 145					Cf 250				
Pm 147	1.51E-07	C C 1	1.51E-07	C C 1	Cf 251				
Sm 147					Cf 252				
Sm 151					Unsp a				
Eu 152	5.27E-07	C C 1	5.27E-07	C C 1	Unsp b/g	1.84E-04	C C 1	1.84E-04	C C 1
Eu 154	5.02E-07	C C 1	5.02E-07	C C 1	Total a	2.28E-07	*	2.28E-07	*
Eu 155	1.93E-08	C C 1	1.93E-08	C C 1	Total b/g	4.91E-04	*	4.91E-04	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides