

WASTE STREAM	4C313	Decommissioning Stage 3: Graphite ILW
--------------	-------	---------------------------------------

SITE Torness

SITE OWNER EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE CUSTODIAN EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025 = 0			
Future arisings:	1.4.2025 - 31.3.2118 = 0			
	1.4.2118 - 31.3.2119 = 691.3			
	1.4.2119 - 31.3.2120 = 764.9			
	1.4.2120 - 31.3.2121 = 674.8			
Total future arisings:	2131.0			
Total waste volume:	2131.0			

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Waste volumes will be variable depending on station operating conditions.

Additional information on quantities: Volumes based on Back to Bio Shield strategy. Work is ongoing looking at optimising the strategy which could lead to a change in volume and timings of arisings across Final Site Clearance wastes (300s) and Pre C&M wastes (100s), in future submissions.

Uncertainty factors on volumes: Stock (upper): x - Arisings (upper): x 1.25
Stock (lower): x - Arisings (lower): x 0.75

WASTE SOURCE Moderator and reflector graphite from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: Graphite blocks and other graphite components. Waste can be packaged in standard NDA packages.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.3

Comment on density: Future arisings based on envelope volume, density calculated on this basis.

CHEMICAL COMPOSITION

General description and components (%wt): Graphite (100%) and possible traces of ferrous metals.

Chemical state: -

Sheet metal proportion / thickness: -

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	NE	-	
Other ferrous metals.....	NE	-	
Iron.....	= 0	-	
Aluminium.....	= 0	-	
Beryllium.....	= 0	-	
Cobalt.....	= 0	-	
Copper.....	= 0	-	
Lead.....	= 0	-	
Magnox/Magnesium.....	= 0	-	
Nickel.....	= 0	-	
Titanium.....	= 0	-	
Uranium.....	= 0	-	
Zinc.....	= 0	-	
Zircaloy/Zirconium.....	= 0	-	
Other metals.....	= 0	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	= 0	-	
Paper, cotton.....	= 0	-	
Wood.....	= 0	-	
Halogenated plastics.....	= 0	-	
Total non-halogenated plastics.....	= 0	-	
Condensation polymers.....	= 0	-	
Others.....	= 0	-	
Organic ion exchange materials.....	= 0	-	
Total rubber.....	= 0	-	
Halogenated rubber.....	= 0	-	
Non-halogenated rubber.....	= 0	-	
Hydrocarbons.....	= 0	-	
Oil or grease.....	-	-	
Fuel.....	-	-	
Asphalt/Tarmac (cont.coal tar).....	-	-	
Asphalt/Tarmac (no coal tar).....	-	-	
Bitumen.....	-	-	
Others.....	-	-	
Other organics.....	= 0	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	100.0
Inorganic sludges and flocs.....	= 0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	= 0	-	
Cementitious material.....	= 0	-	
Sand.....	= 0	-	
Glass/Ceramics.....	= 0	-	
Graphite.....	= 100.0	-	
Desiccants/Catalysts.....	= 0	-	
Asbestos.....	= 0	-	
Non/low friable.....	-	-	
Moderately friable.....	-	-	
Highly friable.....	-	-	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	= 0	-
Chloride.....	= 0	-
Iodide.....	= 0	-
Cyanide.....	= 0	-
Carbonate.....	= 0	-
Nitrate.....	= 0	-
Nitrite.....	= 0	-
Phosphate.....	= 0	-
Sulphate.....	= 0	-
Sulphide.....	= 0	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	= 0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	= 0	-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....	P	May be present.
Soluble solids as bulk chemical compounds.....	= 0	-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	NE	-
Benzene.....	NE	-
Chlorinated solvents.....	NE	-
Formaldehyde.....	NE	-
Organometallics.....	NE	-
Phenol.....	NE	-
Styrene.....	NE	-
Tri-butyl phosphate.....	NE	-
Other organophosphates.....	NE	-
Vinyl chloride.....	NE	-
Arsenic.....	NE	-
Barium.....	NE	-
Boron.....	NE	-
Boron (in Boral).....	NE	-
Boron (non-Boral).....	NE	-
Cadmium.....	NE	-
Caesium.....	NE	-
Selenium.....	NE	-
Chromium.....	NE	-
Molybdenum.....	NE	-
Thallium.....	NE	-
Tin.....	NE	-
Vanadium.....	NE	-
Mercury compounds.....	NE	-
Others.....	NE	-

Complexing agents (%wt):

Not yet determined		
	(%wt)	Type(s) and comment
EDTA.....	NE	-
DPTA.....	NE	-
NTA.....	NE	-
Polycarboxylic acids.....	NE	-
Other organic complexants.....	NE	Only trace quantities, if any.
Total complexing agents.....	NE	-

Physical components:

	Number	Type(s) and comment
Sources.....	= 0	-
Electronic & Electrical Equipment (EEE)		
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction		
Decay storage		
Low force compaction		
Supercompaction (HFC)		
Incineration		
Drying/dewatering/liquid separation		
Tie down/fixatives/strippable coating/painting application		
Decontamination		
Metal treatment		
Recycling / reuse		
Thermal treatment, including vitrification		
Encapsulation		
Polymer encapsulation		
Other physical treatment		
Other chemical treatment		
Containerisation		
Treatment not yet determined	On-site	= 100.0
None		

Comments on planned treatments:

-

Conditioning method:

The waste is not expected to be supercompacted. It will be placed in 'baskets' in the waste packages, and is assumed to be encapsulated.

Conditioning plants:

Plant Name	Location
Torness Waste Management Centre (WMC)	Torness

Likely conditioning matrix:

Unknown

Further information on the conditioning matrix:

Conditioning matrix is likely to be BFS/OPC.

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m ³)	Payload (m ³)	Number of packages	Estimated start date for packaging
	4 m box (100 mm concrete shielding)	100.0	12.1	14.3	176	-

Range in container waste loading:

Other information on packaging and conditioning: The waste will be in baskets placed in the waste packages. Baskets of different Stage 3 ILW wastes may be in the same waste package.

Conditioned density (t/m³): ~ 1.8
 Conditioned density comment: Assumes waste will be encapsulated.

Management Routes:

Disposal Route	Stream volume %	Raw density t/m ³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0		2118
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Activation of the graphite and impurities, Contamination by other activated materials.

Uncertainty: The values quoted were derived by calculation from available material specification and are indicative of the activities that are expected. A major source of uncertainty is the impurity levels.

Measurement of radioactivities: Activation/decay calculations based on neutron flux and projected operating history. The activities quoted are for the time at which this waste will arise (i.e. ~85 years after end of generation). There may be some contamination by Cs137.

Chemical form of radionuclides: H-3: Diffused into matrix.
 C-14: Incorporated in the graphite.
 Cl-36: Incorporated in the graphite.
 Se-79: Not significant.
 Tc-99: Not determined.
 I-129: Not significant.
 Ra: Radium content is insignificant.
 Th: Thorium content is insignificant.
 U: Uranium content is insignificant.
 Np: Neptunium content is insignificant.
 Pu: Plutonium content is insignificant.

WASTE STREAM 4C313 Decommissioning Stage 3: Graphite ILW									
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3			5.04E-04	C C 2	Gd 153				
Be 10			1.69E-09	C C 2	Ho 163				
C 14			2.64E-01	C C 2	Ho 166m			2.04E-06	C C 2
Na 22				4	Tm 170				
Al 26				4	Tm 171				
Cl 36			6.12E-04	C C 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41			1.42E-04	C C 2	Pt 193				
Mn 53					Tl 204				
Mn 54				8	Pb 205				
Fe 55			2.23E-10	C C 2	Pb 210				8
Co 60			3.89E-05	C C 2	Bi 208				
Ni 59			6.70E-04	C C 2	Bi 210m				
Ni 63			5.89E-02	C C 2	Po 210				8
Zn 65				8	Ra 223				
Se 79				8	Ra 225				
Kr 81					Ra 226				8
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90				8	Th 227				
Zr 93				8	Th 228				
Nb 91					Th 229				8
Nb 92					Th 230				8
Nb 93m			1.91E-07	C C 2	Th 232				8
Nb 94			1.04E-06	C C 2	Th 234				
Mo 93			7.98E-06	C C 2	Pa 231				8
Tc 97					Pa 233				
Tc 99			9.80E-07	C C 2	U 232				
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			7.16E-06	C C 2	U 235				8
Ag 110m					U 236				8
Cd 109					U 238				8
Cd 113m					Np 237				8
Sn 119m					Pu 236				
Sn 121m			8.26E-08	C C 2	Pu 238				8
Sn 123					Pu 239				8
Sn 126				8	Pu 240				8
Sb 125					Pu 241				8
Sb 126					Pu 242				8
Te 125m					Am 241				8
Te 127m					Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				8	Cm 244				8
Ba 133			4.82E-07	C C 2	Cm 245				8
La 137					Cm 246				8
La 138					Cm 248				
Ce 144				8	Cf 249				
Pm 145			6.79E-08	C C 2	Cf 250				
Pm 147				8	Cf 251				
Sm 147					Cf 252				
Sm 151			1.08E-06	C C 2	Unsp a				8
Eu 152			3.53E-07	C C 2	Unsp b/g				8
Eu 154			3.32E-07	C C 2	Total a	0	*	1.90E-16	*
Eu 155			1.88E-10	C C 2	Total b/g	0	*	3.25E-01	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides