

WASTE STREAM	4C318	Stage 3 decommissioning: Concrete (Reactor and Non-Reactor) LLW
---------------------	--------------	--

SITE Torness

SITE OWNER EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE CUSTODIAN EDF Energy Nuclear Generation Ltd (EDFE NGL)

WASTE TYPE LLW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025 = 0			
Future arisings:	1.4.2025 - 31.3.2117 = 0			
	1.4.2117 - 31.3.2118 = 0.3			
	1.4.2118 - 31.3.2119 = 881.4			
	1.4.2119 - 31.3.2120 = 975.2			
	1.4.2120 - 31.3.2121 = 860.9			
	1.4.2121 - 31.3.2122 = 0.6			
	1.4.2122 - 31.3.2123 = 26.6			
	1.4.2123 - 31.3.2124 = 43.8			
Total future arisings:	2788.8			
Total waste volume:	2788.8			

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Waste volumes will be variable depending on station operating conditions.

Additional information on quantities: Volumes based on Back to Bio Shield strategy. Work is ongoing looking at optimising the strategy which could lead to a change in volume and timings of arisings across Final Site Clearance wastes (300s) and Pre C&M wastes (100s), in future submissions.

Uncertainty factors on volumes: Stock (upper): x - Arisings (upper): x 1.50
Stock (lower): x - Arisings (lower): x 0.50

WASTE SOURCE Concrete wastes from dismantling of reactors and associated plant.

PHYSICAL CHARACTERISTICS

General description: A wide variety of concrete and reinforced concrete items. (Reinforcing steel is described in waste stream 4C315). Waste can be packaged in standard NDA packages.

Changes since waste generated: -

Bulk density (t/m³): ~ 1.4

Comment on density: Assumes all concrete arises in rubble form.

CHEMICAL COMPOSITION

General description and components (%wt): Concrete and reinforced concrete (100%). Some of the concrete may include iron shot.

Chemical state: -

Sheet metal proportion / thickness: -

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	= 0	-	
Other ferrous metals.....	NE	Iron shot or reinforcing bar may be present.	
Iron.....	= 0	-	
Aluminium.....	= 0	-	
Beryllium.....	= 0	-	
Cobalt.....	= 0	-	
Copper.....	= 0	-	
Lead.....	= 0	-	
Magnox/Magnesium.....	= 0	-	
Nickel.....	= 0	-	
Titanium.....	= 0	-	
Uranium.....	= 0	-	
Zinc.....	= 0	-	
Zircaloy/Zirconium.....	= 0	-	
Other metals.....	= 0	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	= 0	-	
Paper, cotton.....	= 0	-	
Wood.....	= 0	-	
Halogenated plastics.....	= 0	-	
Total non-halogenated plastics.....	= 0	-	
Condensation polymers.....	= 0	-	
Others.....	= 0	-	
Organic ion exchange materials.....	= 0	-	
Total rubber.....	= 0	-	
Halogenated rubber.....	= 0	-	
Non-halogenated rubber.....	= 0	-	
Hydrocarbons.....	= 0	-	
Oil or grease.....	-	-	
Fuel.....	-	-	
Asphalt/Tarmac (cont.coal tar).....	-	-	
Asphalt/Tarmac (no coal tar).....	-	-	
Bitumen.....	-	-	
Others.....	-	-	
Other organics.....	= 0	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	100.0
Inorganic sludges and flocs.....	= 0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	= 0	-	
Cementitious material.....	= 100.0	-	
Sand.....	= 0	-	
Glass/Ceramics.....	= 0	-	
Graphite.....	= 0	-	
Desiccants/Catalysts.....	= 0	-	
Asbestos.....	= 0	-	
Non/low friable.....	-	-	
Moderately friable.....	-	-	
Highly friable.....	-	-	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	NE	-
Chloride.....	NE	-
Iodide.....	NE	-
Cyanide.....	NE	-
Carbonate.....	NE	-
Nitrate.....	NE	-
Nitrite.....	NE	-
Phosphate.....	NE	-
Sulphate.....	NE	-
Sulphide.....	NE	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	= 0	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	= 0	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	= 0	-
Putrescible wastes.....	= 0	-
Non-putrescible wastes.....	= 0	-
Corrosive materials.....	= 0	-
Pyrophoric materials.....	= 0	-
Generating toxic gases.....	= 0	-
Reacting with water.....	= 0	-
Higher activity particles.....	= 0	Not expected.
Soluble solids as bulk chemical compounds.....	= 0	-

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	NE	-
Benzene.....	NE	-
Chlorinated solvents.....	NE	-
Formaldehyde.....	NE	-
Organometallics.....	NE	-
Phenol.....	NE	-
Styrene.....	NE	-
Tri-butyl phosphate.....	NE	-
Other organophosphates.....	NE	-
Vinyl chloride.....	NE	-
Arsenic.....	NE	-
Barium.....	NE	-
Boron.....	NE	-
Boron (in Boral).....	NE	-
Boron (non-Boral).....	NE	-
Cadmium.....	NE	-
Caesium.....	NE	-
Selenium.....	NE	-
Chromium.....	NE	-
Molybdenum.....	NE	-
Thallium.....	NE	-
Tin.....	NE	-
Vanadium.....	NE	-
Mercury compounds.....	NE	-
Others.....	NE	-

Complexing agents (%wt):

Not yet determined		
	(%wt)	Type(s) and comment
EDTA.....	NE	-
DPTA.....	NE	-
NTA.....	NE	-
Polycarboxylic acids.....	NE	-
Other organic complexants.....	NE	None expected.
Total complexing agents.....	NE	-

Physical components:

	Number	Type(s) and comment
Sources.....	= 0	-
Electronic & Electrical Equipment (EEE)		
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None	On-site	= 100.0

Comments on planned treatments:

It is likely that in line with the waste hierarchy, wastes will be treated preferentially by segregation, decontamination, optimal packaging in disposal containers or immobilisation by encapsulation where necessary, prior to ultimate disposal. At present, insufficient information is available to determine the disposal route.

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix: -

Waste Packaging:

Likely container type:	Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
-	-	-	-	-	-	-

Range in container waste loading:

Other information on packaging and conditioning: -

Conditioned density (t/m³): -
Conditioned density comment: -

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)	= 100.0	~ 1.4	
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Activation of the concrete and impurities along with low levels of surface contamination.

Uncertainty: The values quoted were derived by calculation from available material specifications and are indicative of the activities that are expected. A majority of uncertainty is in the impurity levels.

Measurement of radioactivities: Activation/decay calculations based on neutron flux and operating history. The activities quoted are for the time at which this waste will arise (i.e. ~85 years after end of generation). There may be some contamination by Cs137.

Chemical form of radionuclides:

- H-3: Tritium content is insignificant.
- C-14: There may be some surface contamination as graphite.
- Cl-36: The chlorine content is insignificant.
- Se-79: Selenium content not expected to be significant.
- Tc-99: Technetium content not expected to be significant.
- I-129: Iodine content not expected to be significant.
- Ra: Radium content not expected to be significant.
- Th: Thorium content not expected to be significant.
- U: Uranium content not expected to be significant.
- Np: The neptunium content not expected to be significant.
- Pu: The plutonium content not expected to be significant.

WASTE STREAM		4C318		Stage 3 decommissioning: Concrete (Reactor and Non-Reactor) LLW					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3			1.94E-07	C C 2	Gd 153				
Be 10				8	Ho 163				
C 14			6.54E-12	C C 2	Ho 166m			1.04E-10	C C 2
Na 22				4	Tm 170				
Al 26				4	Tm 171				
Cl 36			2.28E-10	C C 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41			6.05E-08	C C 2	Pt 193				
Mn 53					Tl 204				
Mn 54				8	Pb 205				
Fe 55			5.70E-15	C C 2	Pb 210				8
Co 60			4.46E-11	C C 2	Bi 208				
Ni 59			1.14E-10	C C 2	Bi 210m				
Ni 63			6.64E-09	C C 2	Po 210				8
Zn 65				8	Ra 223				
Se 79				8	Ra 225				
Kr 81					Ra 226				8
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90				8	Th 227				
Zr 93				8	Th 228				
Nb 91					Th 229				8
Nb 92					Th 230				8
Nb 93m			2.43E-12	C C 2	Th 232				8
Nb 94			3.68E-11	C C 2	Th 234				
Mo 93				8	Pa 231				8
Tc 97					Pa 233				
Tc 99				8	U 232				
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			3.77E-11	C C 2	U 235				8
Ag 110m					U 236				8
Cd 109					U 238				8
Cd 113m					Np 237				8
Sn 119m					Pu 236				
Sn 121m			2.92E-13	C C 2	Pu 238				8
Sn 123					Pu 239				8
Sn 126				8	Pu 240				8
Sb 125					Pu 241				8
Sb 126					Pu 242				8
Te 125m					Am 241				8
Te 127m					Am 242m				8
I 129				8	Am 243				8
Cs 134				5	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133			2.99E-12	C C 2	Cm 245				8
La 137					Cm 246				8
La 138					Cm 248				
Ce 144				8	Cf 249				
Pm 145			4.65E-11	C C 2	Cf 250				
Pm 147				8	Cf 251				
Sm 147					Cf 252				
Sm 151			2.23E-08	C C 2	Unsp a				8
Eu 152			8.34E-08	C C 2	Unsp b/g				8
Eu 154			3.51E-10	C C 2	Total a	0	*	1.30E-19	*
Eu 155			3.19E-13	C C 2	Total b/g	0	*	3.68E-07	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides