

WASTE STREAM	5H11	UKAEA ILW (MRF) NonINCIN
--------------	------	--------------------------

SITE Culham

SITE OWNER UKAEA

WASTE CUSTODIAN United Kingdom Atomic Energy Authority (UKAEA)

WASTE TYPE ILW

WASTE VOLUMES

	Reported (m ³)	OR	Conditioned (m ³)	Packaged (m ³)
Stocks:	At 1.4.2025			
Future arisings:	1.4.2025 - 31.3.2040			
Total future arisings:				
Total waste volume:				

Number of waste packages in stock: At 1.4.2025..... - packages

Comment on arising rates: Waste stream for the UKAEA Materials Research Facility (MRF) running from 2022 to 2040, the facility arisings will depend on research requirements of the UK and European nuclear industry and therefore are uncertain at this time. Arising forecast value to remain identical to 2022 submission.

Additional information on quantities: The MRF (Materials Research Facility) and other related UKAEA (non JET) facilities are forecast to run for 20 years with active operations beginning in 2019, volumes are expected to be ~100l per year but will depend on the operational activities in the facility.
2025 Update: Operations officially began in 2022 due to the covid 19 pandemic.

Uncertainty factors on volumes: Stock (upper): x 1.50 Arisings (upper): x 1.50
Stock (lower): x 0.10 Arisings (lower): x 0.10

WASTE SOURCE Neutron activated and tritium contaminated nuclear components used for research, original source includes nuclear facilities in the UK and globally.

PHYSICAL CHARACTERISTICS

General description: Majority of activity will be contained within metal samples and related dust following cutting, polishing and sub-sampling during research activities. The majority of volume/mass will consist of polishing pads, cutting / grinding consumables and filters or other consumables not suitable for incineration.

Changes since waste generated: Waste is cleaned, segregated, sorted, sampled and size reduced where possible to enable packaging in to disposal packages and to confirm disposal route.

Bulk density (t/m³): ~ 0.55

Comment on density: Bulk density is an estimate based on expected arisings.

CHEMICAL COMPOSITION

General description and components (%wt): Sample consumables incl gloves and wipes (~40%), filters (~35%), gators (~6%), mounting blocks (~6%), polishing pads (~2%), cutting wheels (~1%), samples and sample debris (<10%).

Chemical state: Neutral

Sheet metal proportion / thickness: -

Metals and alloys (%wt):

	(%wt)	Type(s) / Grades(s) with proportions	% of total C14 activity
Stainless steel.....	~~ 1.0	-	
Other ferrous metals.....	~~ 4.0	-	
Iron.....	~~ 1.0	-	
Aluminium.....	~~ 7.0	-	
Beryllium.....	~~ 0.50	-	
Cobalt.....	TR	-	
Copper.....	~~ 0.50	-	
Lead.....	TR	-	
Magnox/Magnesium.....	NE	-	
Nickel.....	~~ 1.0	-	
Titanium.....	~~ 0.50	-	
Uranium.....	NE	-	
Zinc.....	TR	-	
Zircaloy/Zirconium.....	~~ 0.50	-	
Other metals.....	TR	-	

Organics (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulotics.....	~~ 35.0	-	
Paper, cotton.....	~~ 35.0	-	
Wood.....	P	-	
Halogenated plastics.....	P	-	
Total non-halogenated plastics.....	~~ 37.0	-	
Condensation polymers.....	~~ 37.0	-	
Others.....	P	-	
Organic ion exchange materials.....	= 0	-	
Total rubber.....	TR	-	
Halogenated rubber.....	TR	-	
Non-halogenated rubber.....	TR	-	
Hydrocarbons.....	= 0	-	
Oil or grease.....	= 0	-	
Fuel.....	= 0	-	
Asphalt/Tarmac (cont.coal tar).....	= 0	-	
Asphalt/Tarmac (no coal tar).....	= 0	-	
Bitumen.....	= 0	-	
Others.....	= 0	-	
Other organics.....	P	-	

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials.....	= 0	-	
Inorganic sludges and flocs.....	= 0	-	
Soil.....	= 0	-	
Brick/Stone/Rubble.....	~~ 3.5	-	
Cementitious material.....	P	-	
Sand.....	~~ 5.0	Including silicon carbide.	
Glass/Ceramics.....	~~ 3.5		
Graphite.....	TR	-	
Desiccants/Catalysts.....	= 0	-	
Asbestos.....	= 0	-	
Non/low friable.....	= 0	-	
Moderately friable.....	= 0	-	
Highly friable.....	= 0	-	
Free aqueous liquids.....	= 0	-	
Free non-aqueous liquids.....	= 0	-	
Powder/Ash.....	= 0	-	

COMPONENTS OF MATERIALS, WASTE PROPERTIES, MATERIALS NOT CONTRIBUTING TO MASS

Inorganic anions (%wt):

	(%wt)	Type(s) and comment
Fluoride.....	= 0	-
Chloride.....	= 0	-
Iodide.....	= 0	-
Cyanide.....	= 0	-
Carbonate.....	= 0	-
Nitrate.....	= 0	-
Nitrite.....	= 0	-
Phosphate.....	= 0	-
Sulphate.....	= 0	-
Sulphide.....	= 0	-

Materials of interest for waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	NE	-
Low flash point liquids.....	= 0	-
Explosive materials.....	= 0	-
Phosphorus.....	= 0	-
Hydrides.....	NE	-
Biological etc. materials.....	= 0	-
Biodegradable materials.....	NE	-
Putrescible wastes.....	NE	-
Non-putrescible wastes.....	NE	-
Corrosive materials.....	P	Sodium hydroxide (NaOH) potentially present in trace amounts.
Pyrophoric materials.....	NE	-
Generating toxic gases.....	= 0	-
Reacting with water.....	NE	-
Higher activity particles.....	P	Beta/gamma active particles present.
Soluble solids as bulk chemical compounds.....	= 0	-

Hazardous substances / non hazardous pollutants:

-

	(%wt)	Type(s) and comment
Acrylamide.....	= 0	-
Benzene.....	= 0	-
Chlorinated solvents.....	= 0	-
Formaldehyde.....	= 0	-
Organometallics.....	= 0	-
Phenol.....	= 0	-
Styrene.....	= 0	-
Tri-butyl phosphate.....	= 0	-
Other organophosphates.....	= 0	-
Vinyl chloride.....	= 0	-
Arsenic.....	= 0	-
Barium.....	= 0	-
Boron.....	NE	-
Boron (in Boral).....	NE	-
Boron (non-Boral).....	NE	-
Cadmium.....	NE	-
Caesium.....	= 0	-
Selenium.....	= 0	-
Chromium.....	NE	-
Molybdenum.....	NE	-
Thallium.....	= 0	-
Tin.....	NE	-
Vanadium.....	NE	-
Mercury compounds.....	= 0	-
Others.....	P	-

Complexing agents (%wt):

Not yet determined

	(%wt)	Type(s) and comment
EDTA.....	= 0	-
DPTA.....	= 0	-
NTA.....	= 0	-
Polycarboxylic acids.....	NE	-
Other organic complexants.....	NE	-
Total complexing agents.....	NE	-

Physical components:

	Number	Type(s) and comment
Sources.....		-
Electronic & Electrical Equipment (EEE)		-
EEE Type 1.....		-
EEE Type 2.....		-
EEE Type 3.....		-
EEE Type 4.....		-
EEE Type 5.....		-

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off-site	Stream volume %
Size reduction Decay storage Low force compaction Supercompaction (HFC) Incineration Drying/dewatering/liquid separation Tie down/fixatives/strippable coating/painting application Decontamination Metal treatment Recycling / reuse Thermal treatment, including vitrification Encapsulation Polymer encapsulation Other physical treatment Other chemical treatment Containerisation Treatment not yet determined None		

Comments on planned treatments:

-

Conditioning method:

-

Conditioning plants:

Plant Name	Location

Likely conditioning matrix:

-

Further information on the conditioning matrix:

-

Waste Packaging:

Likely container type:

Container	Waste packaged (vol%)	Waste loading (m³)	Payload (m³)	Number of packages	Estimated start date for packaging
-	-	-	-	-	-

Range in container waste loading:

Other information on packaging and conditioning:

-

Conditioned density (t/m³):

-

Conditioned density comment:

-

Management Routes:

Disposal Route	Stream volume %	Raw density t/m³	Start date
Expected to be consigned to a Near Site, Near Surface Disposal Facility (Scotland)			
Expected to be Non-NSD HAW managed under Scottish Government's policy			
Expected to be disposed to LLW Vaults NRS Dounreay			
Expected to be consigned to the Geological Disposal Facility			
Expected to be consigned to a Near Surface Disposal Facility			
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be disposed On-Site			
Expected to be managed by In-Situ Disposal			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Classification codes for waste expected to be consigned to a landfill facility:

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity Confidence	Comment
-	-	-	-	-

RADIOACTIVITY

Source: Activity is expected to originate from activated metal dust contamination of tools, equipment and consumables.

Uncertainty: Currently there are large uncertainties in the specific activity of the waste as this will depend on the nature of samples submitted for analysis and the operational programme of the facility.

Measurement of radioactivities: Activities are estimates only. Once programme operations commence specific and total activities for the waste stream will be determined by gamma spectroscopy and other relevant techniques based on the radiochemical nature of samples (e.g. acid dissolution followed by liquid scintillation counting).

Chemical form of radionuclides: H-3: Mainly outgassed tritium present in the form of tritiated water vapour, and some absorbed into material surfaces.

C-14: -
Cl-36: -
Se-79: -
Tc-99: -
I-129: -
Ra: -
Th: -
U: -
Np: -
Pu: -

WASTE STREAM		5H11		UKAEA ILW (MRF) NonINCIN					
Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code		Waste at 1.4.2025	Bands and Code	Future Arisings	Bands and Code
H 3				6	Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54				6	Pb 205				
Fe 55				6	Pb 210				
Co 60				6	Bi 208				
Ni 59				6	Bi 210m				
Ni 63				6	Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125					Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241				
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Unsp a				5
Eu 152					Unsp b/g		~~	8.00E-03	A A 2
Eu 154					Total a	0	*	0	*
Eu 155					Total b/g	0	*	8.00E-03	*

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in the mean radioactivity.

Code

1 Measured activity
2 Derived activity (best estimate)
3 Derived activity (upper limit)
4 Not present
5 Present but not significant
6 Likely to be present but not assessed
7 Present in significant quantities but not determined
8 Not expected to be present in significant quantity
* Total calculated from the 114 declared radionuclides